

# CITY OF MARLBOROUGH MEETING POSTING

Meeting Name: City Council Urban Affairs Committee

Date: July 9, 2019

Time: 6:00 PM

Location: City Council Chamber, 2<sup>nd</sup> Floor, City Hall, 140 Main Street

RECEIVED  
CITY CLERK'S OFFICE  
CITY OF MARLBOROUGH

2019 JUN 28 P 4:34

Agenda Item to be addressed:

4-29-19 – Order No.18/19-1007423E: X 18/19-1007461: Application for LED/Message Board Sign Special Permit, 81 Granger Boulevard

-REFER BACK TO URBAN AFFAIRS

THE LISTING OF TOPICS THAT THE CHAIR REASONABLY ANTICIPATES WILL BE DISCUSSED AT THE MEETING IS NOT INTENDED AS A GUARANTEE OF THE TOPICS THAT WILL HAVE BEEN DISCUSSED. NOT ALL TOPICS LISTED MAY IN FACT BE DISCUSSED, AND OTHER TOPICS NOT LISTED MAY ALSO BE BROUGHT UP FOR DISCUSSION TO THE EXTENT PERMITTED BY LAW.

**The public should take due notice that the Marlborough City Council may have a quorum in attendance due to Standing Committees of the City Council consisting of both voting and non-voting members. However, members attending this duly posted meeting are participating and deliberating only in conjunction with the business of the Standing Committee.**

**Electronic devices, including laptops, cell phones, pagers, and PDAs must be turned off or put in silent mode upon entering the City Council Chamber, and any person violating this rule shall be asked to leave the chamber. Express authorization to utilize such devices may be granted by the President for recordkeeping purposes.**



# IN CITY COUNCIL

Marlborough, Mass., APRIL 29, 2019

**ORDERED:**

That the Application for LED Sign Special Permit, Main Street Bank, 81 Granger Boulevard, be and is herewith refer back to **URBAN AFFAIRS COMMITTEE**.

ADOPTED

ORDER NO. 18/19-1007423E  
X 18/19-1007461

ORDERED:

**DECISION ON A SPECIAL PERMIT**

**IN CITY COUNCIL**

---

Special Permit  
Main Street Bank  
Order No. 18/19-1007423B

**DECISION ON A SIGN ORDINANCE SPECIAL PERMIT  
CITY COUNCIL ORDER NO. 18/19-1007423B**

The City Council of the City of Marlborough hereby GRANTS the application for a Sign Ordinance Special Permit to Main Street Bank (the "Applicant") for the property located at 81 Granger Boulevard, Marlborough, Massachusetts, as provided in this Decision and subject to the following Procedural Findings and Findings of Facts and Conditions.

**FINDINGS OF FACT AND RULING**

1. The Applicant is the owner and lessee of the property located at 81 Granger Boulevard, Marlborough, Massachusetts, as shown on the Marlborough Assessors Maps as Map 70, Parcel 152 (the "Site").
2. The Applicant seeks a Sign Ordinance Special Permit, pursuant to Section 526-13 of the Code of the City of Marlborough entitled, Electronic Message Center Signs and Digital Display Signs (the "EMC and Digital Display Sign Ordinance"), to operate an electronic message center sign (the "Sign") at the Site (the "Application").
3. The Sign is a 2' 6-15/16" by 5' 5-3/8" double-faced full color electronic message center (EMC) sign, with a display area of 10.80 square feet (the product specifications are attached hereto as Exhibit A). The Sign is to be located below an internally-illuminated sign at the premises (as shown in Exhibit B).
4. The Sign installer is Expose Signs & Graphics, Inc. from Northborough, MA.
5. In connection with the Application, the Applicant has submitted schematic designs of the Site and a sketch plan showing the location of the Sign on the Site (as shown in Exhibit C).
6. The Marlborough City Council held a public hearing on the Application on February 25, 2019.
7. The Applicant, through its representatives, presented testimony at the public hearing detailing the Sign. No individual in attendance at the public hearing spoke in opposition to the Sign.

**BASED ON THE ABOVE, THE CITY COUNCIL MAKES THE FOLLOWING  
FINDINGS AND TAKES THE FOLLOWING ACTIONS**

- A. The Applicant has complied with all rules and regulations promulgated by the Marlborough City Council as they pertain to application for a special permit under the EMC and Digital Display Sign Ordinance.
- B. The City Council finds that the Sign complies with the standards set forth in Section 526-13.B of the EMC and Digital Display Sign Ordinance.
- C. The City Council finds, pursuant to Section 526-13.B(16) of the EMC and Digital Display Sign Ordinance, that: all other signage on the Site is in compliance with zoning requirements; the Sign does not create unnecessary visual clutter or constitute signage overload for the lot or surrounding neighborhood or street; the Sign does not substantially block visibility of signs on abutting lots; the Sign does not substantially block solar access of, or the view from, windows of residential dwellings on abutting lots; the proposed illumination is appropriate to the Site and is appropriately located with respect to the character of the surrounding neighborhood; the scale and/or location of the Sign is appropriate; and the dimensions of the Sign comply with the area limitations of the EMC and Digital Display Sign Ordinance, as permitted by the Variances.
- D. The City Council, pursuant to its authority under the EMC and Digital Display Sign Ordinance, hereby GRANTS the Applicant a special permit for the Sign, SUBJECT TO THE FOLLOWING CONDITIONS, which conditions shall be binding on the Applicant, its successors and/or assigns:
  - 1. The Sign shall be operated in accordance with the EMC and Digital Display Sign Ordinance of the City of Marlborough.


Yea: \_\_\_\_\_ - Nay: \_\_\_\_\_ - Absent: \_\_\_\_\_

ADOPTED  
In City Council  
Order No. 18/19-1007423B  
Adopted: \_\_\_\_\_ 2019

Approved by Mayor  
Arthur Vigeant  
Date: \_\_\_\_\_ 2019

A TRUE COPY  
ATTEST: \_\_\_\_\_ City Clerk





**APPROVAL**

SIGNATURE & DATE REQUIRED FOR PRODUCTION

Signature

Date

*Pylon Sign -*  
 Brick bases w/ stucco columns  
 Logo Colors: 287c & 381u

Attn: Ellen Dorian  
 Marlborough Savings Bank  
 166 Main Street  
 Marlborough, MA 01752  
 edorian@marlboroughsavings.com

Expose Signs & Graphics, Inc.  
 493 Main Street - Northboro, MA 01532  
 (508)460-1187 - (508)460-1188 fax  
*Drawn By: Amy F. Clark*

# GALAXY® GS6 15.85 MM PRODUCT SPECIFICATIONS

The GS6 is the best full-feature, high-quality Galaxy series yet. This product provides users a display that runs outstanding graphics and animations using the best contrast in the industry. The 15.85 mm pixel pitch is the highest resolution 16 mm LED display in the industry.

## 15.85 MM TECHNICAL SPECIFICATIONS

### Character Height:

4.4" (7 pixel font)

### Line Spacing:

15.85 mm (0.62")

### Pixel Configuration:

Monochrome: 1 red or 1 amber

RGB: 1 red, 1 green, 1 blue

### Maximum Brightness:

Monochrome red: 4,500 nits

Monochrome amber: 6,000 nits

RGB: 12,000 nits

### Monochrome Color Capability:

4,096 shades of red or amber

### Full Color Capability:

RGB: 281 trillion colors

### Optimal Viewing Angle:

140 degrees horizontal x 70 degrees vertical

### Readability Angle:

160 degrees horizontal x 90 degrees vertical

### Min Viewing Distance:

37'

## PRODUCT FEATURES

- All sealed components
- Quick connects
- Mounting clips
- High-contrast louvers
- Redundant module signal
- Large sections for fast installation
- Front ventilation on displays less than seven feet tall
- No spreader beam required for displays greater than seven feet tall
- Same module size and cabinet size for all pixel pitches
- Single-step module removal
- Shallow cabinet depth
- Narrow cabinet borders

## MODEL NUMBER GUIDE

GS6	-	100	x	250	-	15.85	-	RGB	-	SF
Series		Lines High		Columns Wide		Line Spacing		LED Color Red, Amber, or RGB		Single Face or Two View



## GS6 SERIES SPECIFICATIONS

### Estimated LED Lifetime:

100,000+ hours

### Contrast Enhancement:

Non-reflective black louvers and module face grooves disperse light

### Message Capability:

Text, graphics, logos, basic animation, video clips, multiple font styles, and sizes

### Control Software:

Venus® Control Suite

### Power:

120, 120/240 VAC Single Phase

### Display Dimming:

64 levels (Automatic, scheduled or manual control)

### Communication Options:

Ethernet Fiber Optic, Ethernet Bridge Radio, Remote Cellular, Ethernet CAT5

### Operating Temperature:

-40°F to 120°F with 99% RH non-condensing

### Compliance Information:

UL and cUL Listed, UL-Energy Verified, FCC compliance

### Warranty Coverage:

5 years

### Galaxy Product Support:

Parts support for 10 years

## DISPLAY CONFIGURATIONS



**Single-face (SF)**  
Available in all sizes



**Two-view (2V)**  
Available in all sizes



# GALAXY® GS6 15.85 MM PRODUCT SPECIFICATIONS

Lines x Columns	Sections/Ventilated	Cabinet Dimensions Feet-Inches H x W x D	Cabinet Dimensions Meters H x W x D	Cabinet Square Feet (Square Meters)	Active Area Square Feet (Square Meters)	Cabinet Weight Pounds (kilograms)	Lines/Characters per line	Character Height	Maximum Watts		
									Amber	Red	RGB
20x100	Sing/Ft	1'7" x 5'6" x 5"	0.47 x 1.67 x 0.13	8.4 (0.8)	5.5 (0.6)	65 (30)	2/20	4"-12"	255	255	340
20x125	Sing/Ft	1'7" x 6'9" x 5"	0.47 x 2.06 x 0.13	10.4 (1.0)	6.8 (0.8)	75 (35)	2/25	4"-12"	305	305	415
20x150	Sing/Ft	1'7" x 8'1" x 5"	0.47 x 2.46 x 0.13	12.4 (1.2)	8.2 (1.0)	90 (41)	2/30	4"-12"	360	360	485
20x175	Sing/Ft	1'7" x 9'5" x 5"	0.47 x 2.85 x 0.13	14.4 (1.3)	9.5 (1.1)	105 (48)	2/35	4"-12"	410	410	560
20x200	Sing/Ft	1'7" x 10'8" x 5"	0.47 x 3.25 x 0.13	16.4 (1.5)	10.9 (1.3)	120 (55)	2/40	4"-12"	460	460	635
20x225	Sing/Ft	1'7" x 12'0" x 5"	0.47 x 3.65 x 0.13	18.4 (1.7)	12.2 (1.4)	135 (62)	2/45	4"-12"	515	515	705
20x250	Sing/Ft	1'7" x 13'3" x 5"	0.47 x 4.04 x 0.13	20.4 (1.9)	13.6 (1.6)	150 (69)	2/50	4"-12"	565	565	780
20x275	Sing/Ft	1'7" x 14'7" x 5"	0.47 x 4.44 x 0.13	22.4 (2.1)	14.9 (1.8)	165 (75)	2/55	4"-12"	615	615	850
20x300	Sing/Ft	1'7" x 15'11" x 5"	0.47 x 4.84 x 0.13	24.4 (2.3)	16.3 (1.9)	180 (82)	2/60	4"-12"	665	665	925
20x325	Sing/Ft	1'7" x 17'2" x 5"	0.47 x 5.23 x 0.13	26.4 (2.5)	17.6 (2.1)	195 (89)	2/65	4"-12"	720	720	995
20x350	Sing/Ft	1'7" x 18'6" x 5"	0.47 x 5.63 x 0.13	28.4 (2.6)	19.0 (2.2)	205 (93)	2/70	4"-12"	770	770	1070
20x375	Sing/Ft	1'7" x 19'9" x 5"	0.47 x 6.02 x 0.13	30.4 (2.8)	20.3 (2.4)	220 (100)	2/75	4"-12"	820	820	1145
20x400	Sing/Ft	1'7" x 21'1" x 5"	0.47 x 6.42 x 0.13	32.4 (3.0)	21.7 (2.6)	235 (107)	2/80	4"-12"	875	875	1215
20x425	Sing/Ft	1'7" x 22'5" x 5"	0.47 x 6.82 x 0.13	34.4 (3.2)	23.0 (2.7)	250 (114)	2/85	4"-12"	925	925	1290
20x450	Sing/Ft	1'7" x 23'8" x 5"	0.47 x 7.21 x 0.13	36.4 (3.4)	24.4 (2.9)	265 (121)	2/90	4"-12"	975	975	1360
20x475	Sing/Ft	1'7" x 25'0" x 5"	0.47 x 7.61 x 0.13	38.4 (3.6)	25.7 (3.0)	280 (128)	2/95	4"-12"	1025	1025	1435
20x500	Sing/Ft	1'7" x 26'3" x 5"	0.47 x 8.01 x 0.13	40.4 (3.8)	27.1 (3.2)	295 (134)	2/100	4"-12"	1080	1080	1505
40x75	Sing/Ft	2'7" x 4'2" x 5"	0.79 x 1.27 x 0.13	10.7 (1.0)	8.2 (0.8)	80 (37)	5/15	4"-24"	270	270	395
40x100	Sing/Ft	2'7" x 5'6" x 5"	0.79 x 1.67 x 0.13	14.1 (1.3)	10.9 (1.1)	105 (48)	5/20	4"-24"	340	340	515
40x125	Sing/Ft	2'7" x 6'9" x 5"	0.79 x 2.06 x 0.13	17.4 (1.6)	13.6 (1.4)	130 (59)	5/25	4"-24"	415	415	630
40x150	Sing/Ft	2'7" x 8'1" x 5"	0.79 x 2.46 x 0.13	20.8 (1.9)	16.3 (1.7)	150 (69)	5/30	4"-24"	485	485	745
40x175	Sing/Ft	2'7" x 9'5" x 5"	0.79 x 2.85 x 0.13	24.1 (2.3)	19.0 (2.0)	175 (80)	5/35	4"-24"	560	560	860
40x200	Sing/Ft	2'7" x 10'8" x 5"	0.79 x 3.25 x 0.13	27.5 (2.6)	21.7 (2.2)	200 (91)	5/40	4"-24"	635	635	975
40x225	Sing/Ft	2'7" x 12'0" x 5"	0.79 x 3.65 x 0.13	30.8 (2.9)	24.4 (2.5)	225 (103)	5/45	4"-24"	705	705	1090
40x250	Sing/Ft	2'7" x 13'3" x 5"	0.79 x 4.04 x 0.13	34.2 (3.2)	27.1 (2.8)	250 (114)	5/50	4"-24"	780	780	1205
40x275	Sing/Ft	2'7" x 14'7" x 5"	0.79 x 4.44 x 0.13	37.5 (3.5)	29.8 (3.1)	275 (125)	5/55	4"-24"	850	850	1325
40x300	Sing/Ft	2'7" x 15'11" x 5"	0.79 x 4.84 x 0.13	40.9 (3.8)	32.5 (3.4)	295 (134)	5/60	4"-24"	925	925	1440
40x325	Sing/Ft	2'7" x 17'2" x 5"	0.79 x 5.23 x 0.13	44.2 (4.1)	35.2 (3.6)	320 (146)	5/65	4"-24"	995	995	1555
40x350	Sing/Ft	2'7" x 18'6" x 5"	0.79 x 5.63 x 0.13	47.6 (4.4)	37.9 (3.9)	345 (157)	5/70	4"-24"	1070	1070	1670
40x375	Sing/Ft	2'7" x 19'9" x 5"	0.79 x 6.02 x 0.13	51.0 (4.8)	40.6 (4.2)	370 (168)	5/75	4"-24"	1145	1145	1785
40x400	Sing/Ft	2'7" x 21'1" x 5"	0.79 x 6.42 x 0.13	54.3 (5.1)	43.3 (4.5)	395 (180)	5/80	4"-24"	1215	1215	1900
40x425	Sing/Ft	2'7" x 22'5" x 5"	0.79 x 6.82 x 0.13	57.7 (5.4)	46.0 (4.8)	420 (191)	5/85	4"-24"	1290	1290	2015
40x450	Sing/Ft	2'7" x 23'8" x 5"	0.79 x 7.21 x 0.13	61.0 (5.7)	48.7 (5.0)	440 (200)	5/90	4"-24"	1360	1360	2135
40x475	Sing/Ft	2'7" x 25'0" x 5"	0.79 x 7.61 x 0.13	64.4 (6.0)	51.4 (5.3)	465 (211)	5/95	4"-24"	1435	1435	2250
40x500	Sing/Ft	2'7" x 26'3" x 5"	0.79 x 8.01 x 0.13	67.7 (6.3)	54.1 (5.6)	490 (223)	5/100	4"-24"	1505	1505	2365
60x75	Sing/Ft	3'8" x 4'2" x 5"	1.11 x 1.27 x 0.13	15.0 (1.4)	12.2 (1.2)	110 (50)	7/15	4"-37"	335	335	525
60x100	Sing/Ft	3'8" x 5'6" x 5"	1.11 x 1.67 x 0.13	19.7 (1.9)	16.3 (1.6)	145 (66)	7/20	4"-37"	425	425	685
60x125	Sing/Ft	3'8" x 6'9" x 5"	1.11 x 2.06 x 0.13	24.4 (2.3)	20.3 (2.0)	180 (82)	7/25	4"-37"	520	520	845
60x150	Sing/Ft	3'8" x 8'1" x 5"	1.11 x 2.46 x 0.13	29.1 (2.7)	24.4 (2.4)	210 (96)	7/30	4"-37"	615	615	1000
60x175	Sing/Ft	3'8" x 9'5" x 5"	1.11 x 2.85 x 0.13	33.8 (3.2)	28.4 (2.8)	245 (112)	7/35	4"-37"	710	710	1160
60x200	Sing/Ft	3'8" x 10'8" x 5"	1.11 x 3.25 x 0.13	38.6 (3.6)	32.5 (3.2)	280 (128)	7/40	4"-37"	805	805	1320
60x225	Sing/Ft	3'8" x 12'0" x 5"	1.11 x 3.65 x 0.13	43.3 (4.1)	36.6 (3.6)	315 (143)	7/45	4"-37"	900	900	1475
60x250	Sing/Ft	3'8" x 13'3" x 5"	1.11 x 4.04 x 0.13	48.0 (4.5)	40.6 (4.0)	350 (159)	7/50	4"-37"	995	995	1635
60x275	Sing/Ft	3'8" x 14'7" x 5"	1.11 x 4.44 x 0.13	52.7 (4.9)	44.7 (4.4)	380 (173)	7/55	4"-37"	1085	1085	1795
60x300	Sing/Ft	3'8" x 15'11" x 5"	1.11 x 4.84 x 0.13	57.4 (5.4)	48.7 (4.8)	415 (189)	7/60	4"-37"	1180	1180	1955
60x325	Sing/Ft	3'8" x 17'2" x 5"	1.11 x 5.23 x 0.13	62.1 (5.8)	52.8 (5.2)	450 (205)	7/65	4"-37"	1275	1275	2110
60x350	Sing/Ft	3'8" x 18'6" x 5"	1.11 x 5.63 x 0.13	66.8 (6.2)	56.8 (5.6)	485 (220)	7/70	4"-37"	1370	1370	2270
60x375	Sing/Ft	3'8" x 19'9" x 5"	1.11 x 6.02 x 0.13	71.5 (6.7)	60.9 (6.0)	515 (234)	7/75	4"-37"	1465	1465	2430
60x400	Sing/Ft	3'8" x 21'1" x 5"	1.11 x 6.42 x 0.13	76.2 (7.1)	64.9 (6.4)	550 (250)	7/80	4"-37"	1560	1560	2585
60x425	Sing/Ft	3'8" x 22'5" x 5"	1.11 x 6.82 x 0.13	80.9 (7.6)	69.0 (6.8)	585 (266)	7/85	4"-37"	1655	1655	2745
60x450	Sing/Ft	3'8" x 23'8" x 5"	1.11 x 7.21 x 0.13	85.6 (8.0)	73.1 (7.2)	620 (282)	7/90	4"-37"	1745	1745	2905
60x475	Sing/Ft	3'8" x 25'0" x 5"	1.11 x 7.61 x 0.13	90.3 (8.4)	77.1 (7.6)	655 (298)	7/95	4"-37"	1840	1840	3065
60x500	Sing/Ft	3'8" x 26'3" x 5"	1.11 x 8.01 x 0.13	95.0 (8.9)	81.2 (8.0)	685 (311)	7/100	4"-37"	1935	1935	3220
80x75	Sing/Ft	4'8" x 4'2" x 5"	1.43 x 1.27 x 0.13	19.3 (1.8)	16.3 (1.6)	140 (64)	10/15	4"-49"	485	485	745
80x100	Sing/Ft	4'8" x 5'6" x 5"	1.43 x 1.67 x 0.13	25.4 (2.4)	21.7 (2.1)	185 (84)	10/20	4"-49"	635	635	975
80x125	Sing/Ft	4'8" x 6'9" x 5"	1.43 x 2.06 x 0.13	31.5 (2.9)	27.1 (2.6)	230 (105)	10/25	4"-49"	780	780	1205
80x150	Sing/Ft	4'8" x 8'1" x 5"	1.43 x 2.46 x 0.13	37.5 (3.5)	32.5 (3.1)	275 (125)	10/30	4"-49"	925	925	1440
80x175	Sing/Ft	4'8" x 9'5" x 5"	1.43 x 2.85 x 0.13	43.6 (4.1)	37.9 (3.6)	315 (143)	10/35	4"-49"	1070	1070	1670
80x200	Sing/Ft	4'8" x 10'8" x 5"	1.43 x 3.25 x 0.13	49.6 (4.6)	43.3 (4.2)	360 (164)	10/40	4"-49"	1215	1215	1900
80x225	Sing/Ft	4'8" x 12'0" x 5"	1.43 x 3.65 x 0.13	55.7 (5.2)	48.7 (4.7)	405 (184)	10/45	4"-49"	1360	1360	2135
80x250	Sing/Ft	4'8" x 13'3" x 5"	1.43 x 4.04 x 0.13	61.7 (5.8)	54.1 (5.2)	445 (202)	10/50	4"-49"	1505	1505	2365
80x275	Sing/Ft	4'8" x 14'7" x 5"	1.43 x 4.44 x 0.13	67.8 (6.3)	59.5 (5.7)	490 (223)	10/55	4"-49"	1655	1655	2595
80x300	Sing/Ft	4'8" x 15'11" x 5"	1.43 x 4.84 x 0.13	73.9 (6.9)	64.9 (6.2)	535 (243)	10/60	4"-49"	1800	1800	2825
80x325	Sing/Ft	4'8" x 17'2" x 5"	1.43 x 5.23 x 0.13	79.9 (7.5)	70.4 (6.8)	580 (264)	10/65	4"-49"	1945	1945	3060
80x350	Sing/Ft	4'8" x 18'6" x 5"	1.43 x 5.63 x 0.13	86.0 (8.1)	75.8 (7.3)	620 (282)	10/70	4"-49"	2090	2090	3290
80x375	Sing/Ft	4'8" x 19'9" x 5"	1.43 x 6.02 x 0.13	92.0 (8.6)	81.2 (7.8)	665 (302)	10/75	4"-49"	2235	2235	3520
80x400	Sing/Ft	4'8" x 21'1" x 5"	1.43 x 6.42 x 0.13	98.1 (9.2)	86.6 (8.3)	710 (323)	10/80	4"-49"	2380	2380	3755



# GALAXY® GS6 15.85 MM PRODUCT SPECIFICATIONS

Lines x Columns	Sections/Ventilated	Cabinet Dimensions Feet-Inches H x W x D	Cabinet Dimensions Meters H x W x D	Cabinet Square Feet (Square Meters)	Active Area Square Feet (Square Meters)	Cabinet Weight Pounds (kilograms)	Lines/Characters per line	Character Height	Maximum Watts		
									Amber	Red	RGB
80x425	Sing/Ft	4'8" x 22'5" x 5"	1.43 x 6.82 x 0.13	104.2 (9.8)	92.0 (8.8)	750 (341)	10/85	4"-49"	2525	2525	3985
80x450	Sing/Ft	4'8" x 23'8" x 5"	1.43 x 7.21 x 0.13	110.2 (10.3)	97.4 (9.4)	795 (361)	10/90	4"-49"	2675	2675	4215
80x475	Sing/Ft	4'8" x 25'0" x 5"	1.43 x 7.61 x 0.13	116.3 (10.9)	102.8 (9.9)	840 (382)	10/95	4"-49"	2820	2820	4445
80x500	Sing/Ft	4'8" x 26'3" x 5"	1.43 x 8.01 x 0.13	122.3 (11.5)	108.2 (10.4)	885 (402)	10/100	4"-49"	2965	2965	4680
100x75	Sing/Ft	5'9" x 4'2" x 5"	1.74 x 1.27 x 0.13	23.7 (2.2)	20.3 (1.9)	175 (80)	12/15	4"-62"	550	550	875
100x100	Sing/Ft	5'9" x 5'6" x 5"	1.74 x 1.67 x 0.13	31.1 (2.9)	27.1 (2.6)	225 (103)	12/20	4"-62"	720	720	1145
100x125	Sing/Ft	5'9" x 6'9" x 5"	1.74 x 2.06 x 0.13	38.5 (3.6)	33.8 (3.2)	280 (128)	12/25	4"-62"	885	885	1420
100x150	Sing/Ft	5'9" x 8'1" x 5"	1.74 x 2.46 x 0.13	45.9 (4.3)	40.6 (3.8)	335 (152)	12/30	4"-62"	1055	1055	1695
100x175	Sing/Ft	5'9" x 9'5" x 5"	1.74 x 2.85 x 0.13	53.3 (5.0)	47.4 (4.5)	385 (175)	12/35	4"-62"	1220	1220	1970
100x200	Sing/Ft	5'9" x 10'8" x 5"	1.74 x 3.25 x 0.13	60.7 (5.7)	54.1 (5.1)	440 (200)	12/40	4"-62"	1385	1385	2245
100x225	Sing/Ft	5'9" x 12'0" x 5"	1.74 x 3.65 x 0.13	68.1 (6.4)	60.9 (5.8)	495 (225)	12/45	4"-62"	1555	1555	2520
100x250	Sing/Ft	5'9" x 13'3" x 5"	1.74 x 4.04 x 0.13	75.5 (7.0)	67.6 (6.4)	545 (248)	12/50	4"-62"	1720	1720	2795
100x275	Sing/Ft	5'9" x 14'7" x 5"	1.74 x 4.44 x 0.13	82.9 (7.7)	74.4 (7.0)	600 (273)	12/55	4"-62"	1890	1890	3065
100x300	Sing/Ft	5'9" x 15'11" x 5"	1.74 x 4.84 x 0.13	90.3 (8.4)	81.2 (7.7)	655 (298)	12/60	4"-62"	2055	2055	3340
100x325	Sing/Ft	5'9" x 17'2" x 5"	1.74 x 5.23 x 0.13	97.8 (9.1)	87.9 (8.3)	705 (320)	12/65	4"-62"	2225	2225	3615
100x350	Sing/Ft	5'9" x 18'6" x 5"	1.74 x 5.63 x 0.13	105.2 (9.8)	94.7 (9.0)	760 (345)	12/70	4"-62"	2390	2390	3890
100x375	Sing/Ft	5'9" x 19'9" x 5"	1.74 x 6.02 x 0.13	112.6 (10.5)	101.4 (9.6)	815 (370)	12/75	4"-62"	2555	2555	4165
100x400	Sing/Ft	5'9" x 21'1" x 5"	1.74 x 6.42 x 0.13	120.0 (11.2)	108.2 (10.2)	865 (393)	12/80	4"-62"	2725	2725	4440
100x425	Sing/Ft	5'9" x 22'5" x 5"	1.74 x 6.82 x 0.13	127.4 (11.9)	115.0 (10.9)	920 (418)	12/85	4"-62"	2890	2890	4715
100x450	Sing/Ft	5'9" x 23'8" x 5"	1.74 x 7.21 x 0.13	134.8 (12.5)	121.7 (11.5)	975 (443)	12/90	4"-62"	3060	3060	4985
100x475	Sing/Ft	5'9" x 25'0" x 5"	1.74 x 7.61 x 0.13	142.2 (13.2)	128.5 (12.2)	1025 (465)	12/95	4"-62"	3225	3225	5260
100x500	Sing/Ft	5'9" x 26'3" x 5"	1.74 x 8.01 x 0.13	149.6 (13.9)	135.2 (12.8)	1080 (490)	12/100	4"-62"	3395	3395	5535
120x75	Sing/Ft	6'9" x 4'2" x 5"	2.06 x 1.27 x 0.13	28.0 (2.6)	24.4 (2.4)	205 (93)	15/15	4"-74"	615	615	1000
120x100	Sing/Ft	6'9" x 5'6" x 5"	2.06 x 1.67 x 0.13	36.7 (3.4)	32.5 (3.2)	265 (121)	15/20	4"-74"	805	805	1320
120x125	Sing/Ft	6'9" x 6'9" x 5"	2.06 x 2.06 x 0.13	45.5 (4.2)	40.6 (4.0)	330 (150)	15/25	4"-74"	995	995	1635
120x150	Sing/Ft	6'9" x 8'1" x 5"	2.06 x 2.46 x 0.13	54.3 (5.1)	48.7 (4.8)	395 (180)	15/30	4"-74"	1180	1180	1955
120x175	Sing/Ft	6'9" x 9'5" x 5"	2.06 x 2.85 x 0.13	63.0 (5.9)	56.8 (5.6)	455 (207)	15/35	4"-74"	1370	1370	2270
120x200	Sing/Ft	6'9" x 10'8" x 5"	2.06 x 3.25 x 0.13	71.8 (6.7)	64.9 (6.4)	520 (236)	15/40	4"-74"	1560	1560	2585
120x225	Sing/Ft	6'9" x 12'0" x 5"	2.06 x 3.65 x 0.13	80.5 (7.5)	73.1 (7.2)	580 (264)	15/45	4"-74"	1745	1745	2905
120x250	Sing/Ft	6'9" x 13'3" x 5"	2.06 x 4.04 x 0.13	89.3 (8.3)	81.2 (8.0)	645 (293)	15/50	4"-74"	1935	1935	3220
120x275	Sing/Ft	6'9" x 14'7" x 5"	2.06 x 4.44 x 0.13	98.1 (9.1)	89.3 (8.8)	710 (323)	15/55	4"-74"	2125	2125	3540
120x300	Sing/Ft	6'9" x 15'11" x 5"	2.06 x 4.84 x 0.13	106.8 (10.0)	97.4 (9.6)	770 (350)	15/60	4"-74"	2315	2315	3855
120x325	Sing/Ft	6'9" x 17'2" x 5"	2.06 x 5.23 x 0.13	115.6 (10.8)	105.5 (10.4)	835 (379)	15/65	4"-74"	2500	2500	4175
120x350	Sing/Ft	6'9" x 18'6" x 5"	2.06 x 5.63 x 0.13	124.4 (11.6)	113.6 (11.2)	900 (409)	15/70	4"-74"	2690	2690	4490
120x375	Sing/Ft	6'9" x 19'9" x 5"	2.06 x 6.02 x 0.13	133.1 (12.4)	121.7 (12.0)	960 (436)	15/75	4"-74"	2880	2880	4805
120x400	Sing/Ft	6'9" x 21'1" x 5"	2.06 x 6.42 x 0.13	141.9 (13.2)	129.8 (12.8)	1025 (465)	15/80	4"-74"	3065	3065	5125
120x425	Sing/Ft	6'9" x 22'5" x 5"	2.06 x 6.82 x 0.13	150.6 (14.0)	138.0 (13.6)	1085 (493)	15/85	4"-74"	3255	3255	5440
120x450	Sing/Ft	6'9" x 23'8" x 5"	2.06 x 7.21 x 0.13	159.4 (14.9)	146.1 (14.4)	1150 (522)	15/90	4"-74"	3445	3445	5760
120x475	Sing/Ft	6'9" x 25'0" x 5"	2.06 x 7.61 x 0.13	168.2 (15.7)	154.2 (15.2)	1215 (552)	15/95	4"-74"	3635	3635	6075
120x500	Sing/Ft	6'9" x 26'3" x 5"	2.06 x 8.01 x 0.13	176.9 (16.5)	162.3 (16.0)	1275 (579)	15/100	4"-74"	3820	3820	6395
140x100	Sing/Bk	7'10" x 5'9" x 11"	2.38 x 1.74 x 0.28	44.3 (4.1)	37.9 (3.7)	495 (225)	17/20	4"-87"	755	755	1355
140x125	Sing/Bk	7'10" x 7'0" x 11"	2.38 x 2.14 x 0.28	54.5 (5.1)	47.4 (4.6)	605 (275)	17/25	4"-87"	950	950	1700
140x150	Sing/Bk	7'10" x 8'4" x 11"	2.38 x 2.53 x 0.28	64.6 (6.0)	56.8 (5.5)	720 (327)	17/30	4"-87"	1150	1150	2050
140x175	Sing/Bk	7'10" x 9'8" x 11"	2.38 x 2.93 x 0.28	74.7 (7.0)	66.3 (6.4)	830 (377)	17/35	4"-87"	1300	1300	2350
140x200	Sing/Bk	7'10" x 10'11" x 11"	2.38 x 3.33 x 0.28	84.8 (7.9)	75.8 (7.4)	945 (429)	17/40	4"-87"	1500	1500	2700
140x225	Sing/Bk	7'10" x 12'3" x 11"	2.38 x 3.72 x 0.28	94.9 (8.9)	85.2 (8.3)	1055 (479)	17/45	4"-87"	1695	1695	3045
140x250	Sing/Bk	7'10" x 13'6" x 11"	2.38 x 4.12 x 0.28	105.0 (9.8)	94.7 (9.2)	1170 (531)	17/50	4"-87"	1845	1845	3345
140x275	Sing/Bk	7'10" x 14'10" x 11"	2.38 x 4.52 x 0.28	115.1 (10.8)	104.2 (10.1)	1280 (581)	17/55	4"-87"	2045	2045	3695
140x300	Sing/Bk	7'10" x 16'2" x 11"	2.38 x 4.91 x 0.28	125.3 (11.7)	113.6 (11.0)	1395 (633)	17/60	4"-87"	2240	2240	4040
140x325	Sing/Bk	7'10" x 17'5" x 11"	2.38 x 5.31 x 0.28	135.4 (12.6)	123.1 (12.0)	1505 (683)	17/65	4"-87"	2390	2390	4340
140x350	Sing/Bk	7'10" x 18'9" x 11"	2.38 x 5.7 x 0.28	145.5 (13.6)	132.5 (12.9)	1615 (733)	17/70	4"-87"	2590	2590	4690
140x375	Sing/Bk	7'10" x 20'0" x 11"	2.38 x 6.1 x 0.28	155.6 (14.5)	142.0 (13.8)	1730 (785)	17/75	4"-87"	2790	2790	5040
140x400	Sing/Bk	7'10" x 21'4" x 11"	2.38 x 6.5 x 0.28	165.7 (15.5)	151.5 (14.7)	1840 (835)	17/80	4"-87"	2940	2940	5340
140x425	Sing/Bk	7'10" x 22'8" x 11"	2.38 x 6.89 x 0.28	175.8 (16.4)	160.9 (15.6)	1955 (887)	17/85	4"-87"	3135	3135	5685
140x450	Sing/Bk	7'10" x 23'11" x 11"	2.38 x 7.29 x 0.28	185.9 (17.4)	170.4 (16.6)	2065 (937)	17/90	4"-87"	3335	3335	6035
140x475	Sing/Bk	7'10" x 25'3" x 11"	2.38 x 7.69 x 0.28	196.1 (18.3)	179.9 (17.5)	2180 (989)	17/95	4"-87"	3485	3485	6335
140x500	Sing/Bk	7'10" x 26'6" x 11"	2.38 x 8.08 x 0.28	206.2 (19.2)	189.3 (18.4)	2290 (1039)	17/100	4"-87"	3680	3680	6680
140x525	Sing/Bk	7'10" x 27'10" x 11"	2.38 x 8.48 x 0.28	216.3 (20.2)	198.8 (19.3)	2405 (1091)	17/105	4"-87"	3880	3880	7030
140x550	Sing/Bk	7'10" x 29'2" x 11"	2.38 x 8.87 x 0.28	226.4 (21.1)	208.3 (20.2)	2515 (1141)	17/110	4"-87"	4030	4030	7330
140x575	Sing/Bk	7'10" x 30'5" x 11"	2.38 x 9.27 x 0.28	236.5 (22.1)	217.7 (21.2)	2630 (1193)	17/115	4"-87"	4235	4235	7685
140x600	Sing/Bk	7'10" x 31'9" x 11"	2.38 x 9.67 x 0.28	246.6 (23.0)	227.2 (22.1)	2740 (1243)	17/120	4"-87"	4435	4435	8035
140x625	Sing/Bk	7'10" x 33'0" x 11"	2.38 x 10.06 x 0.28	256.7 (23.9)	236.6 (23.0)	2850 (1293)	17/125	4"-87"	4585	4585	8335
140x650	Sing/Bk	7'10" x 34'4" x 11"	2.38 x 10.46 x 0.28	266.9 (24.9)	246.1 (23.9)	2965 (1345)	17/130	4"-87"	4785	4785	8685
140x675	Sing/Bk	7'10" x 35'8" x 11"	2.38 x 10.86 x 0.28	277.0 (25.8)	255.6 (24.6)	3075 (1395)	17/135	4"-87"	4980	4980	9030
140x700	Sing/Bk	7'10" x 36'11" x 11"	2.38 x 11.25 x 0.28	287.1 (26.8)	265.0 (25.5)	3190 (1447)	17/140	4"-87"	5130	5130	9330
140x725	Sing/Bk	7'10" x 38'3" x 11"	2.38 x 11.65 x 0.28	297.2 (27.7)	274.5 (26.5)	3300 (1497)	17/145	4"-87"	5330	5330	9680
140x750	Sing/Bk	7'10" x 39'6" x 11"	2.38 x 12.04 x 0.28	307.3 (28.7)	284.0 (27.4)	3415 (1550)	17/150	4"-87"	5525	5525	10025



# GALAXY® GS6 15.85 MM PRODUCT SPECIFICATIONS

Lines x Columns	Sections/Ventilated	Cabinet Dimensions Feet-Inches H x W x D	Cabinet Dimensions Meters H x W x D	Cabinet Square Feet (Square Meters)	Active Area Square Feet (Square Meters)	Cabinet Weight Pounds (kilograms)	Lines/Characters per line	Character Height	Maximum Watts		
									Amber	Red	RGB
140x775	Sing/Bk	7'10" x 40'10" x 11"	2.38 x 12.44 x 0.28	317.4 (29.6)	293.4 (28.3)	3525 (1599)	17/155	4"-87"	5675	5675	10325
140x800	Sing/Bk	7'10" x 42'2" x 11"	2.38 x 12.84 x 0.28	327.5 (30.6)	302.9 (29.2)	3640 (1652)	17/160	4"-87"	5875	5875	10675
140x825	Sing/Bk	7'10" x 43'5" x 11"	2.38 x 13.23 x 0.28	337.7 (31.5)	312.4 (30.1)	3750 (1701)	17/165	4"-87"	6075	6075	11025
160x100	Sing/Bk	8'10" x 5'9" x 11"	2.69 x 1.74 x 0.28	50.3 (4.7)	43.3 (4.2)	560 (255)	20/20	4"-99"	840	840	1525
160x125	Sing/Bk	8'10" x 7'0" x 11"	2.69 x 2.14 x 0.28	61.7 (5.8)	54.1 (5.2)	690 (313)	20/25	4"-99"	1060	1060	1915
160x150	Sing/Bk	8'10" x 8'4" x 11"	2.69 x 2.53 x 0.28	73.2 (6.8)	64.9 (6.2)	815 (370)	20/30	4"-99"	1280	1280	2310
160x175	Sing/Bk	8'10" x 9'8" x 11"	2.69 x 2.93 x 0.28	84.7 (7.9)	75.8 (7.3)	940 (427)	20/35	4"-99"	1450	1450	2650
160x200	Sing/Bk	8'10" x 10'11" x 11"	2.69 x 3.33 x 0.28	96.1 (9.0)	86.6 (8.3)	1070 (486)	20/40	4"-99"	1670	1670	3040
160x225	Sing/Bk	8'10" x 12'3" x 11"	2.69 x 3.72 x 0.28	107.6 (10.0)	97.4 (9.4)	1195 (543)	20/45	4"-99"	1890	1890	3430
160x250	Sing/Bk	8'10" x 13'6" x 11"	2.69 x 4.12 x 0.28	119.1 (11.1)	108.2 (10.4)	1325 (602)	20/50	4"-99"	2060	2060	3775
160x275	Sing/Bk	8'10" x 14'10" x 11"	2.69 x 4.52 x 0.28	130.5 (12.2)	119.0 (11.4)	1450 (658)	20/55	4"-99"	2280	2280	4165
160x300	Sing/Bk	8'10" x 16'2" x 11"	2.69 x 4.91 x 0.28	142.0 (13.2)	129.8 (12.5)	1580 (717)	20/60	4"-99"	2500	2500	4555
160x325	Sing/Bk	8'10" x 17'10" x 11"	2.69 x 5.31 x 0.28	153.5 (14.3)	140.7 (13.5)	1705 (774)	20/65	4"-99"	2670	2670	4900
160x350	Sing/Bk	8'10" x 18'9" x 11"	2.69 x 5.7 x 0.28	164.9 (15.3)	151.5 (14.6)	1835 (833)	20/70	4"-99"	2890	2890	5290
160x375	Sing/Bk	8'10" x 20'0" x 11"	2.69 x 6.1 x 0.28	176.4 (16.4)	162.3 (15.6)	1960 (890)	20/75	4"-99"	3110	3110	5680
160x400	Sing/Bk	8'10" x 21'4" x 11"	2.69 x 6.5 x 0.28	187.9 (17.5)	173.1 (16.6)	2090 (949)	20/80	4"-99"	3280	3280	6025
160x425	Sing/Bk	8'10" x 22'10" x 11"	2.69 x 6.89 x 0.28	199.3 (18.5)	183.9 (17.7)	2215 (1005)	20/85	4"-99"	3500	3500	6415
160x450	Sing/Bk	8'10" x 23'11" x 11"	2.69 x 7.29 x 0.28	210.8 (19.6)	194.7 (18.7)	2340 (1062)	20/90	4"-99"	3720	3720	6805
160x475	Sing/Bk	8'10" x 25'3" x 11"	2.69 x 7.69 x 0.28	222.3 (20.7)	205.6 (19.8)	2470 (1121)	20/95	4"-99"	3890	3890	7150
160x500	Sing/Bk	8'10" x 26'6" x 11"	2.69 x 8.08 x 0.28	233.7 (21.7)	216.4 (20.8)	2595 (1178)	20/100	4"-99"	4110	4110	7540
160x525	Sing/Bk	8'10" x 27'10" x 11"	2.69 x 8.48 x 0.28	245.2 (22.8)	227.2 (21.8)	2725 (1237)	20/105	4"-99"	4330	4330	7930
160x550	Sing/Bk	8'10" x 29'2" x 11"	2.69 x 8.87 x 0.28	256.7 (23.9)	238.0 (22.9)	2850 (1293)	20/110	4"-99"	4500	4500	8275
160x575	Sing/Bk	8'10" x 30'5" x 11"	2.69 x 9.27 x 0.28	268.1 (24.9)	248.8 (23.9)	2980 (1352)	20/115	4"-99"	4730	4730	8670
160x600	Sing/Bk	8'10" x 31'9" x 11"	2.69 x 9.67 x 0.28	279.6 (26.0)	259.6 (25.0)	3105 (1409)	20/120	4"-99"	4950	4950	9065
160x625	Sing/Bk	8'10" x 33'0" x 11"	2.69 x 10.06 x 0.28	291.1 (27.1)	270.4 (26.0)	3235 (1468)	20/125	4"-99"	5120	5120	9405
160x650	Sing/Bk	8'10" x 34'4" x 11"	2.69 x 10.46 x 0.28	302.5 (28.1)	281.3 (27.0)	3360 (1525)	20/130	4"-99"	5340	5340	9795
160x675	Sing/Bk	8'10" x 35'8" x 11"	2.69 x 10.86 x 0.28	314.0 (29.2)	292.1 (27.8)	3490 (1584)	20/135	4"-99"	5560	5560	10190
160x700	Sing/Bk	8'10" x 36'11" x 11"	2.69 x 11.25 x 0.28	325.5 (30.3)	302.9 (28.9)	3615 (1640)	20/140	4"-99"	5730	5730	10530
160x725	Sing/Bk	8'10" x 38'3" x 11"	2.69 x 11.65 x 0.28	336.9 (31.3)	313.7 (29.9)	3740 (1697)	20/145	4"-99"	5950	5950	10920
160x750	Sing/Bk	8'10" x 39'6" x 11"	2.69 x 12.04 x 0.28	348.4 (32.4)	324.5 (30.9)	3870 (1756)	20/150	4"-99"	6170	6170	11310
160x775	Sing/Bk	8'10" x 40'10" x 11"	2.69 x 12.44 x 0.28	359.9 (33.5)	335.3 (32.0)	3995 (1813)	20/155	4"-99"	6340	6340	11655
160x800	Sing/Bk	8'10" x 42'2" x 11"	2.69 x 12.84 x 0.28	371.3 (34.5)	346.2 (33.0)	4125 (1872)	20/160	4"-99"	6560	6560	12045
160x825	Sing/Bk	8'10" x 43'5" x 11"	2.69 x 13.23 x 0.28	382.8 (35.6)	357.0 (34.1)	4250 (1928)	20/165	4"-99"	6780	6780	12435
180x100	Sing/Bk	9'11" x 5'9" x 11"	3.01 x 1.74 x 0.28	56.2 (5.2)	48.7 (4.6)	625 (284)	22/20	4"-112"	925	925	1695
180x125	Sing/Bk	9'11" x 7'0" x 11"	3.01 x 2.14 x 0.28	69.0 (6.4)	60.9 (5.8)	770 (350)	22/25	4"-112"	1165	1165	2130
180x150	Sing/Bk	9'11" x 8'4" x 11"	3.01 x 2.53 x 0.28	81.8 (7.6)	73.1 (7.0)	910 (413)	22/30	4"-112"	1410	1410	2565
180x175	Sing/Bk	9'11" x 9'8" x 11"	3.01 x 2.93 x 0.28	94.7 (8.8)	85.2 (8.1)	1055 (479)	22/35	4"-112"	1600	1600	2950
180x200	Sing/Bk	9'11" x 10'11" x 11"	3.01 x 3.33 x 0.28	107.5 (10.0)	97.4 (9.3)	1195 (543)	22/40	4"-112"	1840	1840	3385
180x225	Sing/Bk	9'11" x 12'3" x 11"	3.01 x 3.72 x 0.28	120.3 (11.2)	109.6 (10.4)	1340 (608)	22/45	4"-112"	2080	2080	3820
180x250	Sing/Bk	9'11" x 13'6" x 11"	3.01 x 4.12 x 0.28	133.1 (12.4)	121.7 (11.6)	1480 (672)	22/50	4"-112"	2275	2275	4205
180x275	Sing/Bk	9'11" x 14'10" x 11"	3.01 x 4.52 x 0.28	145.9 (13.6)	133.9 (12.8)	1620 (735)	22/55	4"-112"	2515	2515	4635
180x300	Sing/Bk	9'11" x 16'2" x 11"	3.01 x 4.91 x 0.28	158.7 (14.8)	146.1 (13.9)	1765 (801)	22/60	4"-112"	2755	2755	5070
180x325	Sing/Bk	9'11" x 17'5" x 11"	3.01 x 5.31 x 0.28	171.6 (16.0)	158.2 (15.1)	1905 (865)	22/65	4"-112"	2950	2950	5455
180x350	Sing/Bk	9'11" x 18'9" x 11"	3.01 x 5.7 x 0.28	184.4 (17.2)	170.4 (16.2)	2050 (930)	22/70	4"-112"	3190	3190	5890
180x375	Sing/Bk	9'11" x 20'0" x 11"	3.01 x 6.1 x 0.28	197.2 (18.4)	182.6 (17.4)	2190 (994)	22/75	4"-112"	3430	3430	6325
180x400	Sing/Bk	9'11" x 21'4" x 11"	3.01 x 6.5 x 0.28	210.0 (19.6)	194.7 (18.6)	2335 (1060)	22/80	4"-112"	3625	3625	6710
180x425	Sing/Bk	9'11" x 22'8" x 11"	3.01 x 6.89 x 0.28	222.8 (20.7)	206.9 (19.7)	2475 (1123)	22/85	4"-112"	3865	3865	7145
180x450	Sing/Bk	9'11" x 23'11" x 11"	3.01 x 7.29 x 0.28	235.7 (21.9)	219.1 (20.9)	2620 (1189)	22/90	4"-112"	4105	4105	7575
180x475	Sing/Bk	9'11" x 25'3" x 11"	3.01 x 7.69 x 0.28	248.5 (23.1)	231.2 (22.0)	2760 (1252)	22/95	4"-112"	4300	4300	7965
180x500	Sing/Bk	9'11" x 26'6" x 11"	3.01 x 8.08 x 0.28	261.3 (24.3)	243.4 (23.2)	2905 (1318)	22/100	4"-112"	4540	4540	8395
180x525	Sing/Bk	9'11" x 27'10" x 11"	3.01 x 8.48 x 0.28	274.1 (25.5)	255.6 (24.4)	3045 (1382)	22/105	4"-112"	4780	4780	8830
180x550	Sing/Bk	9'11" x 29'2" x 11"	3.01 x 8.87 x 0.28	286.9 (26.7)	267.7 (25.5)	3185 (1445)	22/110	4"-112"	4975	4975	9215
180x575	Sing/Bk	9'11" x 30'5" x 11"	3.01 x 9.27 x 0.28	299.7 (27.9)	279.9 (26.7)	3330 (1511)	22/115	4"-112"	5220	5220	9660
180x600	Sing/Bk	9'11" x 31'9" x 11"	3.01 x 9.67 x 0.28	312.6 (29.1)	292.1 (27.8)	3470 (1574)	22/120	4"-112"	5465	5465	10090
180x625	Sing/Bk	9'11" x 33'0" x 11"	3.01 x 10.06 x 0.28	325.4 (30.3)	304.2 (29.0)	3615 (1640)	22/125	4"-112"	5655	5655	10480
180x650	Sing/Bk	9'11" x 34'4" x 11"	3.01 x 10.46 x 0.28	338.2 (31.5)	316.4 (30.2)	3755 (1704)	22/130	4"-112"	5895	5895	10910
180x675	Sing/Bk	9'11" x 35'8" x 11"	3.01 x 10.86 x 0.28	351.0 (32.7)	328.6 (31.0)	3900 (1770)	22/135	4"-112"	6140	6140	11345
180x700	Sing/Bk	9'11" x 36'11" x 11"	3.01 x 11.25 x 0.28	363.8 (33.9)	340.8 (32.2)	4040 (1833)	22/140	4"-112"	6330	6330	11730
180x725	Sing/Bk	9'11" x 38'3" x 11"	3.01 x 11.65 x 0.28	376.7 (35.1)	352.9 (33.4)	4185 (1899)	22/145	4"-112"	6570	6570	12165
180x750	Sing/Bk	9'11" x 39'6" x 11"	3.01 x 12.04 x 0.28	389.5 (36.2)	365.1 (34.5)	4325 (1962)	22/150	4"-112"	6810	6810	12600
180x775	Sing/Bk	9'11" x 40'10" x 11"	3.01 x 12.44 x 0.28	402.3 (37.4)	377.3 (35.7)	4470 (2028)	22/155	4"-112"	7005	7005	12985
180x800	Sing/Bk	9'11" x 42'2" x 11"	3.01 x 12.84 x 0.28	415.1 (38.6)	389.4 (36.8)	4610 (2092)	22/160	4"-112"	7245	7245	13420
180x825	Sing/Bk	9'11" x 43'5" x 11"	3.01 x 13.23 x 0.28	427.9 (39.8)	401.6 (38.0)	4750 (2155)	22/165	4"-112"	7485	7485	13850
200x100	Multi/Bk	10'11" x 5'9" x 11"	3.33 x 1.74 x 0.28	62.1 (5.8)	54.1 (5.1)	690 (313)	25/20	4"-124"	1165	1165	2020
200x125	Multi/Bk	10'11" x 7'0" x 11"	3.33 x 2.14 x 0.28	76.3 (7.1)	67.6 (6.4)	850 (386)	25/25	4"-124"	1475	1475	2545
200x150	Multi/Bk	10'11" x 8'4" x 11"	3.33 x 2.53 x 0.28	90.5 (8.4)	81.2 (7.7)	1005 (456)	25/30	4"-124"	1785	1785	3070
200x175	Multi/Bk	10'11" x 9'8" x 11"	3.33 x 2.93 x 0.28	104.6 (9.8)	94.7 (9.0)	1165 (529)	25/35	4"-124"	2000	2000	3500



# GALAXY® GS6 15.85 MM PRODUCT SPECIFICATIONS

Lines x Columns	Sections/Ventilated	Cabinet Dimensions Feet-Inches H x W x D	Cabinet Dimensions Meters H x W x D	Cabinet Square Feet (Square Meters)	Active Area Square Feet (Square Meters)	Cabinet Weight Pounds (kilograms)	Lines/Characters per line	Character Height	Maximum Watts		
									Amber	Red	RGB
200x200	Multi/Bk	10'11" x 10'11" x 11"	3.33 x 3.33 x 0.28	118.8 (11.1)	108.2 (10.2)	1320 (599)	25/40	4"-124"	2310	2310	4025
200x225	Multi/Bk	10'11" x 12'3" x 11"	3.33 x 3.72 x 0.28	133.0 (12.4)	121.7 (11.5)	1480 (672)	25/45	4"-124"	2620	2620	4550
200x250	Multi/Bk	10'11" x 13'6" x 11"	3.33 x 4.12 x 0.28	147.2 (13.7)	135.2 (12.8)	1635 (742)	25/50	4"-124"	2835	2835	4975
200x275	Multi/Bk	10'11" x 14'10" x 11"	3.33 x 4.52 x 0.28	161.3 (15.1)	148.8 (14.1)	1795 (815)	25/55	4"-124"	3145	3145	5500
200x300	Multi/Bk	10'11" x 16'2" x 11"	3.33 x 4.91 x 0.28	175.5 (16.4)	162.3 (15.4)	1950 (885)	25/60	4"-124"	3455	3455	6025
200x325	Multi/Bk	10'11" x 17'5" x 11"	3.33 x 5.31 x 0.28	189.7 (17.7)	175.8 (16.6)	2110 (958)	25/65	4"-124"	3670	3670	6455
200x350	Multi/Bk	10'11" x 18'9" x 11"	3.33 x 5.7 x 0.28	203.8 (19.0)	189.3 (17.9)	2265 (1028)	25/70	4"-124"	3980	3980	6980
200x375	Multi/Bk	10'11" x 20'0" x 11"	3.33 x 6.1 x 0.28	218.0 (20.3)	202.8 (19.2)	2420 (1098)	25/75	4"-124"	4290	4290	7505
200x400	Multi/Bk	10'11" x 21'4" x 11"	3.33 x 6.5 x 0.28	232.2 (21.6)	216.4 (20.5)	2580 (1171)	25/80	4"-124"	4505	4505	7930
200x425	Multi/Bk	10'11" x 22'8" x 11"	3.33 x 6.89 x 0.28	246.3 (22.9)	229.9 (21.8)	2735 (1241)	25/85	4"-124"	4815	4815	8455
200x450	Multi/Bk	10'11" x 23'11" x 11"	3.33 x 7.29 x 0.28	260.5 (24.3)	243.4 (23.0)	2895 (1314)	25/90	4"-124"	5125	5125	8980
200x475	Multi/Bk	10'11" x 25'3" x 11"	3.33 x 7.69 x 0.28	274.7 (25.6)	256.9 (24.3)	3050 (1384)	25/95	4"-124"	5340	5340	9410
200x500	Multi/Bk	10'11" x 26'6" x 11"	3.33 x 8.08 x 0.28	288.9 (26.9)	270.4 (25.6)	3210 (1457)	25/100	4"-124"	5650	5650	9935
200x525	Multi/Bk	10'11" x 27'10" x 11"	3.33 x 8.48 x 0.28	303.0 (28.2)	284.0 (26.9)	3365 (1527)	25/105	4"-124"	5960	5960	10460
200x550	Multi/Bk	10'11" x 29'2" x 11"	3.33 x 8.87 x 0.28	317.2 (29.5)	297.5 (28.2)	3525 (1599)	25/110	4"-124"	6175	6175	10890
200x575	Multi/Bk	10'11" x 30'5" x 11"	3.33 x 9.27 x 0.28	331.4 (30.9)	311.0 (29.4)	3680 (1670)	25/115	4"-124"	6500	6500	11430
200x600	Multi/Bk	10'11" x 31'9" x 11"	3.33 x 9.67 x 0.28	345.5 (32.2)	324.5 (30.7)	3840 (1742)	25/120	4"-124"	6810	6810	11955
200x625	Multi/Bk	10'11" x 33'0" x 11"	3.33 x 10.06 x 0.28	359.7 (33.5)	338.0 (32.0)	3995 (1813)	25/125	4"-124"	7025	7025	12380
200x650	Multi/Bk	10'11" x 34'4" x 11"	3.33 x 10.46 x 0.28	373.9 (34.8)	351.6 (33.3)	4150 (1883)	25/130	4"-124"	7335	7335	12905
200x675	Multi/Bk	10'11" x 35'8" x 11"	3.33 x 10.86 x 0.28	388.0 (36.2)	365.1 (34.2)	4310 (1955)	25/135	4"-124"	7645	7645	13430
200x700	Multi/Bk	10'11" x 36'11" x 11"	3.33 x 11.25 x 0.28	402.2 (37.5)	378.6 (35.5)	4465 (2026)	25/140	4"-124"	7860	7860	13860
200x725	Multi/Bk	10'11" x 38'3" x 11"	3.33 x 11.65 x 0.28	416.4 (38.8)	392.1 (36.8)	4625 (2098)	25/145	4"-124"	8170	8170	14385
200x750	Multi/Bk	10'11" x 39'6" x 11"	3.33 x 12.04 x 0.28	430.6 (40.1)	405.6 (38.1)	4780 (2169)	25/150	4"-124"	8480	8480	14910
200x775	Multi/Bk	10'11" x 40'10" x 11"	3.33 x 12.44 x 0.28	444.7 (41.4)	419.2 (39.4)	4940 (2241)	25/155	4"-124"	8695	8695	15340
200x800	Multi/Bk	10'11" x 42'2" x 11"	3.33 x 12.84 x 0.28	458.9 (42.8)	432.7 (40.6)	5095 (2312)	25/160	4"-124"	9005	9005	15860
200x825	Multi/Bk	10'11" x 43'5" x 11"	3.33 x 13.23 x 0.28	473.1 (44.1)	446.2 (41.9)	5255 (2384)	25/165	4"-124"	9315	9315	16385
220x100	Multi/Bk	12'0" x 5'9" x 11"	3.64 x 1.74 x 0.28	68.1 (6.3)	59.5 (5.6)	760 (345)	27/20	4"-137"	1250	1250	2195
220x125	Multi/Bk	12'0" x 7'0" x 11"	3.64 x 2.14 x 0.28	83.6 (7.8)	74.4 (7.0)	930 (422)	27/25	4"-137"	1585	1585	2760
220x150	Multi/Bk	12'0" x 8'4" x 11"	3.64 x 2.53 x 0.28	99.1 (9.2)	89.3 (8.4)	1100 (499)	27/30	4"-137"	1915	1915	3325
220x175	Multi/Bk	12'0" x 9'8" x 11"	3.64 x 2.93 x 0.28	114.6 (10.7)	104.2 (9.8)	1275 (579)	27/35	4"-137"	2150	2150	3800
220x200	Multi/Bk	12'0" x 10'11" x 11"	3.64 x 3.33 x 0.28	130.1 (12.1)	119.0 (11.2)	1445 (656)	27/40	4"-137"	2480	2480	4365
220x225	Multi/Bk	12'0" x 12'3" x 11"	3.64 x 3.72 x 0.28	145.7 (13.5)	133.9 (12.6)	1620 (735)	27/45	4"-137"	2815	2815	4925
220x250	Multi/Bk	12'0" x 13'6" x 11"	3.64 x 4.12 x 0.28	161.2 (15.0)	148.8 (14.0)	1790 (812)	27/50	4"-137"	3050	3050	5405
220x275	Multi/Bk	12'0" x 14'10" x 11"	3.64 x 4.52 x 0.28	176.7 (16.5)	163.6 (15.4)	1965 (892)	27/55	4"-137"	3380	3380	5975
220x300	Multi/Bk	12'0" x 16'2" x 11"	3.64 x 4.91 x 0.28	192.2 (17.9)	178.5 (16.8)	2135 (969)	27/60	4"-137"	3710	3710	6540
220x325	Multi/Bk	12'0" x 17'5" x 11"	3.64 x 5.31 x 0.28	207.8 (19.3)	193.4 (18.2)	2310 (1048)	27/65	4"-137"	3945	3945	7010
220x350	Multi/Bk	12'0" x 18'9" x 11"	3.64 x 5.7 x 0.28	223.3 (20.7)	208.3 (19.6)	2480 (1125)	27/70	4"-137"	4280	4280	7580
220x375	Multi/Bk	12'0" x 20'0" x 11"	3.64 x 6.1 x 0.28	238.8 (22.2)	223.1 (21.0)	2655 (1205)	27/75	4"-137"	4610	4610	8145
220x400	Multi/Bk	12'0" x 21'4" x 11"	3.64 x 6.5 x 0.28	254.3 (23.7)	238.0 (22.4)	2825 (1282)	27/80	4"-137"	4845	4845	8620
220x425	Multi/Bk	12'0" x 22'8" x 11"	3.64 x 6.89 x 0.28	269.8 (25.1)	252.9 (23.8)	3000 (1361)	27/85	4"-137"	5180	5180	9185
220x450	Multi/Bk	12'0" x 23'11" x 11"	3.64 x 7.29 x 0.28	285.4 (26.5)	267.7 (25.2)	3170 (1438)	27/90	4"-137"	5510	5510	9755
220x475	Multi/Bk	12'0" x 25'3" x 11"	3.64 x 7.69 x 0.28	300.9 (28.0)	282.6 (26.6)	3340 (1515)	27/95	4"-137"	5745	5745	10225
220x500	Multi/Bk	12'0" x 26'6" x 11"	3.64 x 8.08 x 0.28	316.4 (29.4)	297.5 (28.0)	3515 (1595)	27/100	4"-137"	6075	6075	10790
220x525	Multi/Bk	12'0" x 27'10" x 11"	3.64 x 8.48 x 0.28	331.9 (30.9)	312.4 (29.4)	3685 (1672)	27/105	4"-137"	6410	6410	11360
220x550	Multi/Bk	12'0" x 29'2" x 11"	3.64 x 8.87 x 0.28	347.5 (32.3)	327.2 (30.8)	3860 (1751)	27/110	4"-137"	6645	6645	11830
220x575	Multi/Bk	12'0" x 30'5" x 11"	3.64 x 9.27 x 0.28	363.0 (33.7)	342.1 (32.2)	4030 (1828)	27/115	4"-137"	6995	6995	12415
220x600	Multi/Bk	12'0" x 31'9" x 11"	3.64 x 9.67 x 0.28	378.5 (35.2)	357.0 (33.6)	4205 (1908)	27/120	4"-137"	7325	7325	12980
220x625	Multi/Bk	12'0" x 33'0" x 11"	3.64 x 10.06 x 0.28	394.0 (36.6)	371.8 (35.0)	4375 (1985)	27/125	4"-137"	7560	7560	13455
220x650	Multi/Bk	12'0" x 34'4" x 11"	3.64 x 10.46 x 0.28	409.5 (38.1)	386.7 (36.4)	4550 (2064)	27/130	4"-137"	7890	7890	14020
220x675	Multi/Bk	12'0" x 35'8" x 11"	3.64 x 10.86 x 0.28	425.1 (39.5)	401.6 (37.5)	4720 (2141)	27/135	4"-137"	8225	8225	14590
220x700	Multi/Bk	12'0" x 36'11" x 11"	3.64 x 11.25 x 0.28	440.6 (41.0)	416.5 (38.9)	4895 (2221)	27/140	4"-137"	8460	8460	15060
220x725	Multi/Bk	12'0" x 38'3" x 11"	3.64 x 11.65 x 0.28	456.1 (42.4)	431.3 (40.3)	5065 (2298)	27/145	4"-137"	8790	8790	15625
220x750	Multi/Bk	12'0" x 39'6" x 11"	3.64 x 12.04 x 0.28	471.6 (43.8)	446.2 (41.7)	5240 (2377)	27/150	4"-137"	9125	9125	16195
220x775	Multi/Bk	12'0" x 40'10" x 11"	3.64 x 12.44 x 0.28	487.2 (45.3)	461.1 (43.1)	5410 (2454)	27/155	4"-137"	9360	9360	16665
220x800	Multi/Bk	12'0" x 42'2" x 11"	3.64 x 12.84 x 0.28	502.7 (46.7)	476.0 (44.5)	5580 (2532)	27/160	4"-137"	9690	9690	17235
220x825	Multi/Bk	12'0" x 43'5" x 11"	3.64 x 13.23 x 0.28	518.2 (48.2)	490.8 (45.9)	5755 (2611)	27/165	4"-137"	10020	10020	17800
240x100	Multi/Bk	13'0" x 5'9" x 11"	3.96 x 1.74 x 0.28	74.0 (6.9)	64.9 (6.2)	825 (375)	30/20	4"-149"	1335	1335	2365
240x125	Multi/Bk	13'0" x 7'0" x 11"	3.96 x 2.14 x 0.28	90.9 (8.5)	81.2 (7.8)	1010 (459)	30/25	4"-149"	1695	1695	2975
240x150	Multi/Bk	13'0" x 8'4" x 11"	3.96 x 2.53 x 0.28	107.7 (10.0)	97.4 (9.4)	1200 (545)	30/30	4"-149"	2040	2040	3585
240x175	Multi/Bk	13'0" x 9'8" x 11"	3.96 x 2.93 x 0.28	124.6 (11.6)	113.6 (10.9)	1385 (629)	30/35	4"-149"	2300	2300	4100
240x200	Multi/Bk	13'0" x 10'11" x 11"	3.96 x 3.33 x 0.28	141.5 (13.2)	129.8 (12.5)	1575 (715)	30/40	4"-149"	2650	2650	4710
240x225	Multi/Bk	13'0" x 12'3" x 11"	3.96 x 3.72 x 0.28	158.4 (14.7)	146.1 (14.0)	1760 (799)	30/45	4"-149"	3005	3005	5300
240x250	Multi/Bk	13'0" x 13'6" x 11"	3.96 x 4.12 x 0.28	175.2 (16.3)	162.3 (15.6)	1950 (885)	30/50	4"-149"	3260	3260	5835
240x275	Multi/Bk	13'0" x 14'10" x 11"	3.96 x 4.52 x 0.28	192.1 (17.9)	178.5 (17.2)	2135 (969)	30/55	4"-149"	3615	3615	6445
240x300	Multi/Bk	13'0" x 16'2" x 11"	3.96 x 4.91 x 0.28	209.0 (19.4)	194.7 (18.7)	2320 (1053)	30/60	4"-149"	3970	3970	7055
240x325	Multi/Bk	13'0" x 17'5" x 11"	3.96 x 5.31 x 0.28	225.9 (21.0)	211.0 (20.3)	2510 (1139)	30/65	4"-149"	4225	4225	7570
240x350	Multi/Bk	13'0" x 18'9" x 11"	3.96 x 5.7 x 0.28	242.7 (22.6)	227.2 (21.8)	2695 (1223)	30/70	4"-149"	4580	4580	8180



# GALAXY® GS6 15.85 MM PRODUCT SPECIFICATIONS

Lines x Columns	Sections/Ventilated	Cabinet Dimensions Feet-Inches H x W x D	Cabinet Dimensions Meters H x W x D	Cabinet Square Feet (Square Meters)	Active Area Square Feet (Square Meters)	Cabinet Weight Pounds (kilograms)	Lines/Characters per line	Character Height	Maximum Watts		
									Amber	Red	RGB
240x375	Multi/Bk	13'0" x 20'0" x 11"	3.96 x 6.1 x 0.28	259.6 (24.2)	243.4 (23.4)	2885 (1309)	30/75	4"-149"	4930	4930	8790
240x400	Multi/Bk	13'0" x 21'4" x 11"	3.96 x 6.5 x 0.28	276.5 (25.7)	259.6 (25.0)	3070 (1393)	30/80	4"-149"	5190	5190	9305
240x425	Multi/Bk	13'0" x 22'8" x 11"	3.96 x 6.89 x 0.28	293.3 (27.3)	275.9 (26.5)	3260 (1479)	30/85	4"-149"	5540	5540	9915
240x450	Multi/Bk	13'0" x 23'11" x 11"	3.96 x 7.29 x 0.28	310.2 (28.9)	292.1 (28.1)	3445 (1563)	30/90	4"-149"	5895	5895	10525
240x475	Multi/Bk	13'0" x 25'3" x 11"	3.96 x 7.69 x 0.28	327.1 (30.5)	308.3 (29.6)	3635 (1649)	30/95	4"-149"	6150	6150	11040
240x500	Multi/Bk	13'0" x 26'6" x 11"	3.96 x 8.08 x 0.28	344.0 (32.0)	324.5 (31.2)	3820 (1733)	30/100	4"-149"	6505	6505	11650
240x525	Multi/Bk	13'0" x 27'10" x 11"	3.96 x 8.48 x 0.28	360.8 (33.6)	340.8 (32.8)	4010 (1819)	30/105	4"-149"	6860	6860	12260
240x550	Multi/Bk	13'0" x 29'2" x 11"	3.96 x 8.87 x 0.28	377.7 (35.1)	357.0 (34.3)	4195 (1903)	30/110	4"-149"	7115	7115	12775
240x575	Multi/Bk	13'0" x 30'5" x 11"	3.96 x 9.27 x 0.28	394.6 (36.7)	373.2 (35.9)	4380 (1987)	30/115	4"-149"	7485	7485	13400
240x600	Multi/Bk	13'0" x 31'9" x 11"	3.96 x 9.67 x 0.28	411.5 (38.3)	389.4 (37.4)	4570 (2073)	30/120	4"-149"	7840	7840	14010
240x625	Multi/Bk	13'0" x 33'0" x 11"	3.96 x 10.06 x 0.28	428.3 (39.8)	405.6 (39.0)	4755 (2157)	30/125	4"-149"	8095	8095	14525
240x650	Multi/Bk	13'0" x 34'4" x 11"	3.96 x 10.46 x 0.28	445.2 (41.4)	421.9 (40.6)	4945 (2244)	30/130	4"-149"	8450	8450	15135
240x675	Multi/Bk	13'0" x 35'8" x 11"	3.96 x 10.86 x 0.28	462.1 (43.0)	438.1 (41.7)	5130 (2327)	30/135	4"-149"	8800	8800	15745
240x700	Multi/Bk	13'0" x 36'11" x 11"	3.96 x 11.25 x 0.28	479.0 (44.6)	454.3 (43.3)	5320 (2414)	30/140	4"-149"	9060	9060	16260
240x725	Multi/Bk	13'0" x 38'3" x 11"	3.96 x 11.65 x 0.28	495.8 (46.1)	470.5 (44.9)	5505 (2498)	30/145	4"-149"	9410	9410	16870
240x750	Multi/Bk	13'0" x 39'6" x 11"	3.96 x 12.04 x 0.28	512.7 (47.7)	486.8 (46.4)	5695 (2584)	30/150	4"-149"	9765	9765	17480
240x775	Multi/Bk	13'0" x 40'10" x 11"	3.96 x 12.44 x 0.28	529.6 (49.3)	503.0 (48.0)	5880 (2668)	30/155	4"-149"	10020	10020	17995
240x800	Multi/Bk	13'0" x 42'2" x 11"	3.96 x 12.84 x 0.28	546.5 (50.8)	519.2 (49.5)	6070 (2754)	30/160	4"-149"	10375	10375	18605
240x825	Multi/Bk	13'0" x 43'5" x 11"	3.96 x 13.23 x 0.28	563.3 (52.4)	535.4 (51.1)	6255 (2838)	30/165	4"-149"	10730	10730	19215
260x100	Multi/Bk	14'1" x 5'9" x 11"	4.28 x 1.74 x 0.28	79.9 (7.4)	70.4 (6.7)	890 (404)	32/20	4"-162"	1420	1420	2535
260x125	Multi/Bk	14'1" x 7'0" x 11"	4.28 x 2.14 x 0.28	99.1 (9.2)	87.9 (8.4)	1090 (495)	32/25	4"-162"	1800	1800	3190
260x150	Multi/Bk	14'1" x 8'4" x 11"	4.28 x 2.53 x 0.28	116.4 (10.8)	105.5 (10.1)	1295 (588)	32/30	4"-162"	2170	2170	3840
260x175	Multi/Bk	14'1" x 9'8" x 11"	4.28 x 2.93 x 0.28	134.6 (12.5)	123.1 (11.8)	1495 (679)	32/35	4"-162"	2450	2450	4400
260x200	Multi/Bk	14'1" x 10'11" x 11"	4.28 x 3.33 x 0.28	152.8 (14.3)	140.7 (13.4)	1700 (772)	32/40	4"-162"	2825	2825	5050
260x225	Multi/Bk	14'1" x 12'3" x 11"	4.28 x 3.72 x 0.28	171.0 (15.9)	158.2 (15.1)	1900 (862)	32/45	4"-162"	3200	3200	5695
260x250	Multi/Bk	14'1" x 13'6" x 11"	4.28 x 4.12 x 0.28	189.3 (17.6)	175.8 (16.8)	2105 (955)	32/50	4"-162"	3475	3475	6260
260x275	Multi/Bk	14'1" x 14'10" x 11"	4.28 x 4.52 x 0.28	207.5 (19.3)	193.4 (18.5)	2305 (1046)	32/55	4"-162"	3850	3850	6915
260x300	Multi/Bk	14'1" x 16'2" x 11"	4.28 x 4.91 x 0.28	225.7 (21.0)	211.0 (20.2)	2510 (1139)	32/60	4"-162"	4225	4225	7570
260x325	Multi/Bk	14'1" x 17'5" x 11"	4.28 x 5.31 x 0.28	243.9 (22.7)	228.5 (21.8)	2710 (1230)	32/65	4"-162"	4505	4505	8125
260x350	Multi/Bk	14'1" x 18'9" x 11"	4.28 x 5.7 x 0.28	262.2 (24.4)	246.1 (23.5)	2915 (1323)	32/70	4"-162"	4880	4880	8780
260x375	Multi/Bk	14'1" x 20'0" x 11"	4.28 x 6.1 x 0.28	280.4 (26.1)	263.7 (25.2)	3115 (1413)	32/75	4"-162"	5255	5255	9430
260x400	Multi/Bk	14'1" x 21'4" x 11"	4.28 x 6.5 x 0.28	298.6 (27.8)	281.3 (26.9)	3315 (1504)	32/80	4"-162"	5530	5530	9990
260x425	Multi/Bk	14'1" x 22'8" x 11"	4.28 x 6.89 x 0.28	316.9 (29.5)	298.8 (28.6)	3520 (1597)	32/85	4"-162"	5905	5905	10640
260x450	Multi/Bk	14'1" x 23'11" x 11"	4.28 x 7.29 x 0.28	335.1 (31.2)	316.4 (30.2)	3720 (1688)	32/90	4"-162"	6280	6280	11295
260x475	Multi/Bk	14'1" x 25'3" x 11"	4.28 x 7.69 x 0.28	353.3 (32.9)	334.0 (31.9)	3925 (1781)	32/95	4"-162"	6560	6560	11850
260x500	Multi/Bk	14'1" x 26'6" x 11"	4.28 x 8.08 x 0.28	371.5 (34.6)	351.6 (33.6)	4125 (1872)	32/100	4"-162"	6935	6935	12505
260x525	Multi/Bk	14'1" x 27'10" x 11"	4.28 x 8.48 x 0.28	389.8 (36.3)	369.1 (35.3)	4330 (1965)	32/105	4"-162"	7310	7310	13160
260x550	Multi/Bk	14'1" x 29'2" x 11"	4.28 x 8.87 x 0.28	408.0 (38.0)	386.7 (37.0)	4530 (2055)	32/110	4"-162"	7585	7585	13715
260x575	Multi/Bk	14'1" x 30'5" x 11"	4.28 x 9.27 x 0.28	426.2 (39.7)	404.3 (38.6)	4735 (2148)	32/115	4"-162"	7980	7980	14385
260x600	Multi/Bk	14'1" x 31'9" x 11"	4.28 x 9.67 x 0.28	444.4 (41.4)	421.9 (40.3)	4935 (2239)	32/120	4"-162"	8355	8355	15040
260x625	Multi/Bk	14'1" x 33'0" x 11"	4.28 x 10.06 x 0.28	462.7 (43.1)	439.4 (42.0)	5140 (2332)	32/125	4"-162"	8630	8630	15595
260x650	Multi/Bk	14'1" x 34'4" x 11"	4.28 x 10.46 x 0.28	480.9 (44.8)	457.0 (43.7)	5340 (2423)	32/130	4"-162"	9005	9005	16250
260x675	Multi/Bk	14'1" x 35'8" x 11"	4.28 x 10.86 x 0.28	499.1 (46.5)	474.6 (44.9)	5545 (2516)	32/135	4"-162"	9380	9380	16905
260x700	Multi/Bk	14'1" x 36'11" x 11"	4.28 x 11.25 x 0.28	517.3 (48.2)	492.2 (46.6)	5745 (2606)	32/140	4"-162"	9660	9660	17460
260x725	Multi/Bk	14'1" x 38'3" x 11"	4.28 x 11.65 x 0.28	535.6 (49.9)	509.8 (48.3)	5945 (2697)	32/145	4"-162"	10035	10035	18115
260x750	Multi/Bk	14'1" x 39'6" x 11"	4.28 x 12.04 x 0.28	553.8 (51.5)	527.3 (50.0)	6150 (2790)	32/150	4"-162"	10410	10410	18765
260x775	Multi/Bk	14'1" x 40'10" x 11"	4.28 x 12.44 x 0.28	572.0 (53.2)	544.9 (51.7)	6350 (2881)	32/155	4"-162"	10685	10685	19325
260x800	Multi/Bk	14'1" x 42'2" x 11"	4.28 x 12.84 x 0.28	590.2 (55.0)	562.5 (53.3)	6555 (2974)	32/160	4"-162"	11060	11060	19975
260x825	Multi/Bk	14'1" x 43'5" x 11"	4.28 x 13.23 x 0.28	608.5 (56.6)	580.1 (55.0)	6755 (3065)	32/165	4"-162"	11435	11435	20630
280x100	Multi/Bk	15'1" x 5'9" x 11"	4.6 x 1.74 x 0.28	85.8 (8.0)	75.8 (7.2)	955 (434)	35/20	4"-174"	1505	1505	2705
280x125	Multi/Bk	15'1" x 7'0" x 11"	4.6 x 2.14 x 0.28	105.4 (9.8)	94.7 (9.0)	1175 (533)	35/25	4"-174"	1900	1900	3400
280x150	Multi/Bk	15'1" x 8'4" x 11"	4.6 x 2.53 x 0.28	125.0 (11.6)	113.6 (10.8)	1390 (631)	35/30	4"-174"	2300	2300	4100
280x175	Multi/Bk	15'1" x 9'8" x 11"	4.6 x 2.93 x 0.28	144.6 (13.5)	132.5 (12.6)	1605 (729)	35/35	4"-174"	2600	2600	4700
280x200	Multi/Bk	15'1" x 10'11" x 11"	4.6 x 3.33 x 0.28	164.2 (15.3)	151.5 (14.4)	1825 (828)	35/40	4"-174"	2995	2995	5395
280x225	Multi/Bk	15'1" x 12'3" x 11"	4.6 x 3.72 x 0.28	183.7 (17.1)	170.4 (16.2)	2040 (926)	35/45	4"-174"	3390	3390	6090
280x250	Multi/Bk	15'1" x 13'6" x 11"	4.6 x 4.12 x 0.28	203.3 (19.0)	189.3 (18.0)	2260 (1026)	35/50	4"-174"	3690	3690	6690
280x275	Multi/Bk	15'1" x 14'10" x 11"	4.6 x 4.52 x 0.28	222.9 (20.8)	208.3 (19.8)	2475 (1123)	35/55	4"-174"	4085	4085	7385
280x300	Multi/Bk	15'1" x 16'2" x 11"	4.6 x 4.91 x 0.28	242.5 (22.6)	227.2 (21.6)	2695 (1223)	35/60	4"-174"	4480	4480	8080
280x325	Multi/Bk	15'1" x 17'5" x 11"	4.6 x 5.31 x 0.28	262.0 (24.4)	246.1 (23.4)	2910 (1320)	35/65	4"-174"	4780	4780	8680
280x350	Multi/Bk	15'1" x 18'9" x 11"	4.6 x 5.7 x 0.28	281.6 (26.2)	265.0 (25.2)	3130 (1420)	35/70	4"-174"	5180	5180	9380
280x375	Multi/Bk	15'1" x 20'0" x 11"	4.6 x 6.1 x 0.28	301.2 (28.1)	284.0 (27.0)	3345 (1518)	35/75	4"-174"	5575	5575	10075
280x400	Multi/Bk	15'1" x 21'4" x 11"	4.6 x 6.5 x 0.28	320.8 (29.9)	302.9 (28.8)	3565 (1618)	35/80	4"-174"	5875	5875	10675
280x425	Multi/Bk	15'1" x 22'8" x 11"	4.6 x 6.89 x 0.28	340.4 (31.7)	321.8 (30.6)	3780 (1715)	35/85	4"-174"	6270	6270	11370
280x450	Multi/Bk	15'1" x 23'11" x 11"	4.6 x 7.29 x 0.28	359.9 (33.5)	340.8 (32.4)	4000 (1815)	35/90	4"-174"	6665	6665	12065
280x475	Multi/Bk	15'1" x 25'3" x 11"	4.6 x 7.69 x 0.28	379.5 (35.4)	359.7 (34.2)	4215 (1912)	35/95	4"-174"	6965	6965	12665
280x500	Multi/Bk	15'1" x 26'6" x 11"	4.6 x 8.08 x 0.28	399.1 (37.2)	378.6 (36.0)	4430 (2010)	35/100	4"-174"	7360	7360	13360
280x525	Multi/Bk	15'1" x 27'10" x 11"	4.6 x 8.48 x 0.28	418.7 (39.0)	397.5 (37.8)	4650 (2110)	35/105	4"-174"	7760	7760	14060



# GALAXY® GS6 15.85 MM PRODUCT SPECIFICATIONS

Lines x Columns	Sections/Ventilated	Cabinet Dimensions Feet-Inches H x W x D	Cabinet Dimensions Meters H x W x D	Cabinet Square Feet (Square Meters)	Active Area Square Feet (Square Meters)	Cabinet Weight Pounds (kilograms)	Lines/Characters per line	Character Height	Maximum Watts		
									Amber	Red	RGB
280x550	Multi/Bk	15'1" x 29'2" x 11"	4.6 x 8.87 x 0.28	438.2 (40.8)	416.5 (39.6)	4865 (2207)	35/110	4"-174"	8060	8060	14660
280x575	Multi/Bk	15'1" x 30'5" x 11"	4.6 x 9.27 x 0.28	457.8 (42.6)	435.4 (41.4)	5085 (2307)	35/115	4"-174"	8470	8470	15370
280x600	Multi/Bk	15'1" x 31'9" x 11"	4.6 x 9.67 x 0.28	477.4 (44.5)	454.3 (43.2)	5300 (2405)	35/120	4"-174"	8870	8870	16070
280x625	Multi/Bk	15'1" x 33'0" x 11"	4.6 x 10.06 x 0.28	497.0 (46.3)	473.2 (45.0)	5520 (2504)	35/125	4"-174"	9170	9170	16670
280x650	Multi/Bk	15'1" x 34'4" x 11"	4.6 x 10.46 x 0.28	516.6 (48.1)	492.2 (46.8)	5735 (2602)	35/130	4"-174"	9565	9565	17365
280x675	Multi/Bk	15'1" x 35'8" x 11"	4.6 x 10.86 x 0.28	536.1 (50.0)	511.1 (48.2)	5955 (2702)	35/135	4"-174"	9960	9960	18060
280x700	Multi/Bk	15'1" x 36'11" x 11"	4.6 x 11.25 x 0.28	555.7 (51.8)	530.0 (50.0)	6170 (2799)	35/140	4"-174"	10260	10260	18660
280x725	Multi/Bk	15'1" x 38'3" x 11"	4.6 x 11.65 x 0.28	575.3 (53.6)	549.0 (51.8)	6390 (2899)	35/145	4"-174"	10655	10655	19355
280x750	Multi/Bk	15'1" x 39'6" x 11"	4.6 x 12.04 x 0.28	594.9 (55.4)	567.9 (53.6)	6605 (2996)	35/150	4"-174"	11050	11050	20050
280x775	Multi/Bk	15'1" x 40'10" x 11"	4.6 x 12.44 x 0.28	614.4 (57.2)	586.8 (55.4)	6825 (3096)	35/155	4"-174"	11350	11350	20650
280x800	Multi/Bk	15'1" x 42'2" x 11"	4.6 x 12.84 x 0.28	634.0 (59.1)	605.7 (57.2)	7040 (3194)	35/160	4"-174"	11750	11750	21350
280x825	Multi/Bk	15'1" x 43'5" x 11"	4.6 x 13.23 x 0.28	653.6 (60.9)	624.7 (59.0)	7255 (3291)	35/165	4"-174"	12145	12145	22045
300x100	Multi/Bk	16'2" x 5'9" x 11"	4.91 x 1.74 x 0.28	91.8 (8.5)	81.2 (7.7)	1020 (463)	37/20	4"-187"	1590	1590	2880
300x125	Multi/Bk	16'2" x 7'0" x 11"	4.91 x 2.14 x 0.28	112.7 (10.5)	101.4 (9.6)	1255 (570)	37/25	4"-187"	2010	2010	3615
300x150	Multi/Bk	16'2" x 8'4" x 11"	4.91 x 2.53 x 0.28	133.6 (12.4)	121.7 (11.5)	1485 (674)	37/30	4"-187"	2425	2425	4355
300x175	Multi/Bk	16'2" x 9'8" x 11"	4.91 x 2.93 x 0.28	154.6 (14.4)	142.0 (13.4)	1720 (781)	37/35	4"-187"	2750	2750	5000
300x200	Multi/Bk	16'2" x 10'11" x 11"	4.91 x 3.33 x 0.28	175.5 (16.4)	162.3 (15.4)	1950 (885)	37/40	4"-187"	3165	3165	5735
300x225	Multi/Bk	16'2" x 12'3" x 11"	4.91 x 3.72 x 0.28	196.4 (18.3)	182.6 (17.3)	2185 (992)	37/45	4"-187"	3585	3585	6475
300x250	Multi/Bk	16'2" x 13'6" x 11"	4.91 x 4.12 x 0.28	217.4 (20.2)	202.8 (19.2)	2415 (1096)	37/50	4"-187"	3905	3905	7120
300x275	Multi/Bk	16'2" x 14'10" x 11"	4.91 x 4.52 x 0.28	238.3 (22.2)	223.1 (21.1)	2645 (1200)	37/55	4"-187"	4320	4320	7860
300x300	Multi/Bk	16'2" x 16'2" x 11"	4.91 x 4.91 x 0.28	259.2 (24.1)	243.4 (23.0)	2880 (1307)	37/60	4"-187"	4740	4740	8595
300x325	Multi/Bk	16'2" x 17'5" x 11"	4.91 x 5.31 x 0.28	280.1 (26.1)	263.7 (25.0)	3110 (1411)	37/65	4"-187"	5060	5060	9240
300x350	Multi/Bk	16'2" x 18'9" x 11"	4.91 x 5.7 x 0.28	301.1 (28.0)	284.0 (26.9)	3345 (1518)	37/70	4"-187"	5480	5480	9980
300x375	Multi/Bk	16'2" x 20'0" x 11"	4.91 x 6.1 x 0.28	322.0 (30.0)	304.2 (28.8)	3575 (1622)	37/75	4"-187"	5895	5895	10715
300x400	Multi/Bk	16'2" x 21'4" x 11"	4.91 x 6.5 x 0.28	342.9 (31.9)	324.5 (30.7)	3810 (1729)	37/80	4"-187"	6215	6215	11360
300x425	Multi/Bk	16'2" x 22'8" x 11"	4.91 x 6.89 x 0.28	363.9 (33.8)	344.8 (32.6)	4040 (1833)	37/85	4"-187"	6635	6635	12100
300x450	Multi/Bk	16'2" x 23'11" x 11"	4.91 x 7.29 x 0.28	384.8 (35.8)	365.1 (34.6)	4275 (1940)	37/90	4"-187"	7050	7050	12840
300x475	Multi/Bk	16'2" x 25'3" x 11"	4.91 x 7.69 x 0.28	405.7 (37.8)	385.4 (36.5)	4505 (2044)	37/95	4"-187"	7375	7375	13480
300x500	Multi/Bk	16'2" x 26'6" x 11"	4.91 x 8.08 x 0.28	426.7 (39.7)	405.6 (38.4)	4740 (2151)	37/100	4"-187"	7790	7790	14220
300x525	Multi/Bk	16'2" x 27'10" x 11"	4.91 x 8.48 x 0.28	447.6 (41.6)	425.9 (40.3)	4970 (2255)	37/105	4"-187"	8210	8210	14960
300x550	Multi/Bk	16'2" x 29'2" x 11"	4.91 x 8.87 x 0.28	468.5 (43.6)	446.2 (42.2)	5205 (2361)	37/110	4"-187"	8530	8530	15600
300x575	Multi/Bk	16'2" x 30'5" x 11"	4.91 x 9.27 x 0.28	489.4 (45.5)	466.5 (44.2)	5435 (2466)	37/115	4"-187"	8965	8965	16355
300x600	Multi/Bk	16'2" x 31'9" x 11"	4.91 x 9.67 x 0.28	510.4 (47.5)	486.8 (46.1)	5670 (2572)	37/120	4"-187"	9380	9380	17095
300x625	Multi/Bk	16'2" x 33'0" x 11"	4.91 x 10.06 x 0.28	531.3 (49.4)	507.0 (48.0)	5900 (2677)	37/125	4"-187"	9705	9705	17740
300x650	Multi/Bk	16'2" x 34'4" x 11"	4.91 x 10.46 x 0.28	552.2 (51.4)	527.3 (49.9)	6130 (2781)	37/130	4"-187"	10120	10120	18480
300x675	Multi/Bk	16'2" x 35'8" x 11"	4.91 x 10.86 x 0.28	573.2 (53.3)	547.6 (51.4)	6365 (2888)	37/135	4"-187"	10540	10540	19215
300x700	Multi/Bk	16'2" x 36'11" x 11"	4.91 x 11.25 x 0.28	594.1 (55.2)	567.9 (53.3)	6595 (2992)	37/140	4"-187"	10860	10860	19860
300x725	Multi/Bk	16'2" x 38'3" x 11"	4.91 x 11.65 x 0.28	615.0 (57.2)	588.2 (55.2)	6830 (3099)	37/145	4"-187"	11275	11275	20600
300x750	Multi/Bk	16'2" x 39'6" x 11"	4.91 x 12.04 x 0.28	636.0 (59.1)	608.4 (57.1)	7060 (3203)	37/150	4"-187"	11695	11695	21335
300x775	Multi/Bk	16'2" x 40'10" x 11"	4.91 x 12.44 x 0.28	656.9 (61.1)	628.7 (59.0)	7295 (3309)	37/155	4"-187"	12015	12015	21980
300x800	Multi/Bk	16'2" x 42'2" x 11"	4.91 x 12.84 x 0.28	677.8 (63.0)	649.0 (61.0)	7525 (3414)	37/160	4"-187"	12435	12435	22720
300x825	Multi/Bk	16'2" x 43'5" x 11"	4.91 x 13.23 x 0.28	698.7 (65.0)	669.3 (62.9)	7760 (3520)	37/165	4"-187"	12850	12850	23460
320x100	Multi/Bk	17'2" x 5'9" x 11"	5.23 x 1.74 x 0.28	97.7 (9.1)	86.6 (8.2)	1085 (493)	40/20	4"-199"	1680	1680	3050
320x125	Multi/Bk	17'2" x 7'0" x 11"	5.23 x 2.14 x 0.28	120.0 (11.2)	108.2 (10.2)	1335 (606)	40/25	4"-199"	2120	2120	3830
320x150	Multi/Bk	17'2" x 8'4" x 11"	5.23 x 2.53 x 0.28	142.3 (13.2)	129.8 (12.2)	1580 (717)	40/30	4"-199"	2555	2555	4615
320x175	Multi/Bk	17'2" x 9'8" x 11"	5.23 x 2.93 x 0.28	164.5 (15.3)	151.5 (14.3)	1830 (831)	40/35	4"-199"	2900	2900	5300
320x200	Multi/Bk	17'2" x 10'11" x 11"	5.23 x 3.33 x 0.28	186.8 (17.4)	173.1 (16.3)	2075 (942)	40/40	4"-199"	3340	3340	6080
320x225	Multi/Bk	17'2" x 12'3" x 11"	5.23 x 3.72 x 0.28	209.1 (19.5)	194.7 (18.4)	2325 (1055)	40/45	4"-199"	3775	3775	6860
320x250	Multi/Bk	17'2" x 13'6" x 11"	5.23 x 4.12 x 0.28	231.4 (21.5)	216.4 (20.4)	2570 (1166)	40/50	4"-199"	4120	4120	7550
320x275	Multi/Bk	17'2" x 14'10" x 11"	5.23 x 4.52 x 0.28	253.7 (23.6)	238.0 (22.4)	2820 (1280)	40/55	4"-199"	4560	4560	8330
320x300	Multi/Bk	17'2" x 16'2" x 11"	5.23 x 4.91 x 0.28	276.0 (25.7)	259.6 (24.5)	3065 (1391)	40/60	4"-199"	5000	5000	9110
320x325	Multi/Bk	17'2" x 17'5" x 11"	5.23 x 5.31 x 0.28	298.2 (27.8)	281.3 (26.5)	3315 (1504)	40/65	4"-199"	5340	5340	9800
320x350	Multi/Bk	17'2" x 18'9" x 11"	5.23 x 5.7 x 0.28	320.5 (29.8)	302.9 (28.6)	3560 (1615)	40/70	4"-199"	5780	5780	10580
320x375	Multi/Bk	17'2" x 20'0" x 11"	5.23 x 6.1 x 0.28	342.8 (31.9)	324.5 (30.6)	3810 (1729)	40/75	4"-199"	6220	6220	11360
320x400	Multi/Bk	17'2" x 21'4" x 11"	5.23 x 6.5 x 0.28	365.1 (34.0)	346.2 (32.6)	4055 (1840)	40/80	4"-199"	6560	6560	12045
320x425	Multi/Bk	17'2" x 22'8" x 11"	5.23 x 6.89 x 0.28	387.4 (36.0)	367.8 (34.7)	4300 (1951)	40/85	4"-199"	7000	7000	12830
320x450	Multi/Bk	17'2" x 23'11" x 11"	5.23 x 7.29 x 0.28	409.6 (38.1)	389.4 (36.7)	4550 (2064)	40/90	4"-199"	7440	7440	13610
320x475	Multi/Bk	17'2" x 25'3" x 11"	5.23 x 7.69 x 0.28	431.9 (40.2)	411.1 (38.8)	4795 (2175)	40/95	4"-199"	7780	7780	14295
320x500	Multi/Bk	17'2" x 26'6" x 11"	5.23 x 8.08 x 0.28	454.2 (42.3)	432.7 (40.8)	5045 (2289)	40/100	4"-199"	8220	8220	15080
320x525	Multi/Bk	17'2" x 27'10" x 11"	5.23 x 8.48 x 0.28	476.5 (44.4)	454.3 (42.8)	5290 (2400)	40/105	4"-199"	8660	8660	15860
320x550	Multi/Bk	17'2" x 29'2" x 11"	5.23 x 8.87 x 0.28	498.8 (46.4)	476.0 (44.9)	5540 (2513)	40/110	4"-199"	9000	9000	16545
320x575	Multi/Bk	17'2" x 30'5" x 11"	5.23 x 9.27 x 0.28	521.1 (48.5)	497.6 (46.9)	5785 (2625)	40/115	4"-199"	9460	9460	17340
320x600	Multi/Bk	17'2" x 31'9" x 11"	5.23 x 9.67 x 0.28	543.3 (50.6)	519.2 (49.0)	6035 (2738)	40/120	4"-199"	9895	9895	18125
320x625	Multi/Bk	17'2" x 33'0" x 11"	5.23 x 10.06 x 0.28	565.6 (52.6)	540.8 (51.0)	6280 (2849)	40/125	4"-199"	10240	10240	18810
320x650	Multi/Bk	17'2" x 34'4" x 11"	5.23 x 10.46 x 0.28	587.9 (54.7)	562.5 (53.0)	6530 (2962)	40/130	4"-199"	10680	10680	19590
320x675	Multi/Bk	17'2" x 35'8" x 11"	5.23 x 10.86 x 0.28	610.2 (56.8)	584.1 (54.6)	6775 (3074)	40/135	4"-199"	11115	11115	20375
320x700	Multi/Bk	17'2" x 36'11" x 11"	5.23 x 11.25 x 0.28	632.5 (58.8)	605.7 (56.6)	7025 (3187)	40/140	4"-199"	11460	11460	21060




# GALAXY® GS6 15.85 MM PRODUCT SPECIFICATIONS


Lines x Columns	Sections/Ventilated	Cabinet Dimensions Feet-Inches H x W x D	Cabinet Dimensions Meters H x W x D	Cabinet Square Feet (Square Meters)	Active Area Square Feet (Square Meters)	Cabinet Weight Pounds (kilograms)	Lines/Characters per line	Character Height	Maximum Watts		
									Amber	Red	RGB
320x725	Multi/Bk	17'2" x 38'3" x 11"	5.23 x 11.65 x 0.28	654.7 (60.9)	627.4 (58.7)	7270 (3298)	40/145	4"-199"	11900	11900	21840
320x750	Multi/Bk	17'2" x 39'6" x 11"	5.23 x 12.04 x 0.28	677.0 (63.0)	649.0 (60.7)	7515 (3409)	40/150	4"-199"	12340	12340	22620
320x775	Multi/Bk	17'2" x 40'10" x 11"	5.23 x 12.44 x 0.28	699.3 (65.1)	670.6 (62.7)	7765 (3523)	40/155	4"-199"	12680	12680	23310
320x800	Multi/Bk	17'2" x 42'2" x 11"	5.23 x 12.84 x 0.28	721.6 (67.2)	692.3 (64.8)	8010 (3634)	40/160	4"-199"	13120	13120	24090
320x825	Multi/Bk	17'2" x 43'5" x 11"	5.23 x 13.23 x 0.28	743.9 (69.2)	713.9 (66.8)	8260 (3747)	40/165	4"-199"	13560	13560	24870
340x100	Multi/Bk	18'3" x 5'9" x 11"	5.55 x 1.74 x 0.28	103.6 (9.7)	92.0 (8.6)	1155 (524)	42/20	4"-212"	1765	1765	3220
340x125	Multi/Bk	18'3" x 7'0" x 11"	5.55 x 2.14 x 0.28	127.3 (11.9)	115.0 (10.8)	1415 (642)	42/25	4"-212"	2225	2225	4045
340x150	Multi/Bk	18'3" x 8'4" x 11"	5.55 x 2.53 x 0.28	150.9 (14.0)	138.0 (13.0)	1675 (760)	42/30	4"-212"	2685	2685	4870
340x175	Multi/Bk	18'3" x 9'8" x 11"	5.55 x 2.93 x 0.28	174.5 (16.3)	160.9 (15.1)	1940 (880)	42/35	4"-212"	3050	3050	5600
340x200	Multi/Bk	18'3" x 10'11" x 11"	5.55 x 3.33 x 0.28	198.2 (18.5)	183.9 (17.3)	2200 (998)	42/40	4"-212"	3510	3510	6425
340x225	Multi/Bk	18'3" x 12'3" x 11"	5.55 x 3.72 x 0.28	221.8 (20.6)	206.9 (19.4)	2465 (1119)	42/45	4"-212"	3970	3970	7250
340x250	Multi/Bk	18'3" x 13'6" x 11"	5.55 x 4.12 x 0.28	245.4 (22.9)	229.9 (21.6)	2725 (1237)	42/50	4"-212"	4335	4335	7975
340x275	Multi/Bk	18'3" x 14'10" x 11"	5.55 x 4.52 x 0.28	269.1 (25.1)	252.9 (23.8)	2990 (1357)	42/55	4"-212"	4795	4795	8800
340x300	Multi/Bk	18'3" x 16'2" x 11"	5.55 x 4.91 x 0.28	292.7 (27.3)	275.9 (25.9)	3250 (1475)	42/60	4"-212"	5255	5255	9625
340x325	Multi/Bk	18'3" x 17'5" x 11"	5.55 x 5.31 x 0.28	316.3 (29.5)	298.8 (28.1)	3515 (1595)	42/65	4"-212"	5620	5620	10355
340x350	Multi/Bk	18'3" x 18'9" x 11"	5.55 x 5.7 x 0.28	340.0 (31.6)	321.8 (30.2)	3775 (1713)	42/70	4"-212"	6080	6080	11180
340x375	Multi/Bk	18'3" x 20'0" x 11"	5.55 x 6.1 x 0.28	363.6 (33.9)	344.8 (32.4)	4040 (1833)	42/75	4"-212"	6540	6540	12005
340x400	Multi/Bk	18'3" x 21'4" x 11"	5.55 x 6.5 x 0.28	387.2 (36.1)	367.8 (34.6)	4300 (1951)	42/80	4"-212"	6905	6905	12730
340x425	Multi/Bk	18'3" x 22'8" x 11"	5.55 x 6.89 x 0.28	410.9 (38.2)	390.8 (36.7)	4565 (2071)	42/85	4"-212"	7365	7365	13555
340x450	Multi/Bk	18'3" x 23'11" x 11"	5.55 x 7.29 x 0.28	434.5 (40.5)	413.8 (38.9)	4825 (2189)	42/90	4"-212"	7825	7825	14380
340x475	Multi/Bk	18'3" x 30'5" x 11"	5.55 x 7.69 x 0.28	458.1 (42.7)	427.6 (41.0)	5090 (2309)	42/95	4"-212"	8190	8190	15110
340x500	Multi/Bk	18'3" x 26'6" x 11"	5.55 x 8.08 x 0.28	481.8 (44.8)	459.7 (43.2)	5350 (2427)	42/100	4"-212"	8650	8650	15935
340x525	Multi/Bk	18'3" x 27'10" x 11"	5.55 x 8.48 x 0.28	505.4 (47.1)	482.7 (45.4)	5610 (2545)	42/105	4"-212"	9110	9110	16760
340x550	Multi/Bk	18'3" x 29'2" x 11"	5.55 x 8.87 x 0.28	529.0 (49.2)	505.7 (47.5)	5875 (2665)	42/110	4"-212"	9475	9475	17485
340x575	Multi/Bk	18'3" x 30'5" x 11"	5.55 x 9.27 x 0.28	552.7 (51.4)	528.7 (49.7)	6135 (2783)	42/115	4"-212"	9950	9950	18330
340x600	Multi/Bk	18'3" x 31'9" x 11"	5.55 x 9.67 x 0.28	576.3 (53.7)	551.7 (51.8)	6400 (2903)	42/120	4"-212"	10410	10410	19155
340x625	Multi/Bk	18'3" x 33'0" x 11"	5.55 x 10.06 x 0.28	599.9 (55.8)	574.6 (54.0)	6660 (3021)	42/125	4"-212"	10775	10775	19880
340x650	Multi/Bk	18'3" x 34'4" x 11"	5.55 x 10.46 x 0.28	623.6 (58.1)	597.6 (56.2)	6925 (3142)	42/130	4"-212"	11235	11235	20705
340x675	Multi/Bk	18'3" x 35'8" x 11"	5.55 x 10.86 x 0.28	647.2 (60.3)	620.6 (57.8)	7185 (3260)	42/135	4"-212"	11695	11695	21530
340x700	Multi/Bk	18'3" x 36'11" x 11"	5.55 x 11.25 x 0.28	670.8 (62.4)	643.6 (59.9)	7450 (3380)	42/140	4"-212"	12060	12060	22260
340x725	Multi/Bk	18'3" x 38'3" x 11"	5.55 x 11.65 x 0.28	694.5 (64.7)	666.6 (62.1)	7710 (3498)	42/145	4"-212"	12520	12520	23085
340x750	Multi/Bk	18'3" x 39'6" x 11"	5.55 x 12.04 x 0.28	718.1 (66.8)	689.6 (64.3)	7975 (3618)	42/150	4"-212"	12980	12980	23910
340x775	Multi/Bk	18'3" x 40'10" x 11"	5.55 x 12.44 x 0.28	741.7 (69.0)	712.6 (66.4)	8235 (3736)	42/155	4"-212"	13345	13345	24635
340x800	Multi/Bk	18'3" x 42'2" x 11"	5.55 x 12.84 x 0.28	765.4 (71.3)	735.5 (68.6)	8500 (3856)	42/160	4"-212"	13805	13805	25460
340x825	Multi/Bk	18'3" x 43'5" x 11"	5.55 x 13.23 x 0.28	789.0 (73.4)	758.5 (70.7)	8760 (3974)	42/165	4"-212"	14265	14265	26285
360x100	Multi/Bk	19'3" x 5'9" x 11"	5.86 x 1.74 x 0.28	109.6 (10.2)	97.4 (9.3)	1220 (554)	45/20	4"-224"	1850	1850	3390
360x125	Multi/Bk	19'3" x 7'0" x 11"	5.86 x 2.14 x 0.28	134.5 (12.5)	121.7 (11.6)	1495 (679)	45/25	4"-224"	2330	2330	4260
360x150	Multi/Bk	19'3" x 8'4" x 11"	5.86 x 2.53 x 0.28	159.5 (14.8)	146.1 (13.9)	1775 (806)	45/30	4"-224"	2815	2815	5130
360x175	Multi/Bk	19'3" x 9'8" x 11"	5.86 x 2.93 x 0.28	184.5 (17.2)	170.4 (16.2)	2050 (930)	45/35	4"-224"	3200	3200	5900
360x200	Multi/Bk	19'3" x 10'11" x 11"	5.86 x 3.33 x 0.28	209.5 (19.5)	194.7 (18.6)	2330 (1057)	45/40	4"-224"	3680	3680	6765
360x225	Multi/Bk	19'3" x 12'3" x 11"	5.86 x 3.72 x 0.28	234.5 (21.8)	219.1 (20.9)	2605 (1182)	45/45	4"-224"	4160	4160	7635
360x250	Multi/Bk	19'3" x 13'6" x 11"	5.86 x 4.12 x 0.28	259.5 (24.1)	243.4 (23.2)	2885 (1309)	45/50	4"-224"	4550	4550	8405
360x275	Multi/Bk	19'3" x 14'10" x 11"	5.86 x 4.52 x 0.28	284.5 (26.5)	267.7 (25.5)	3160 (1434)	45/55	4"-224"	5030	5030	9270
360x300	Multi/Bk	19'3" x 16'2" x 11"	5.86 x 4.91 x 0.28	309.4 (28.8)	292.1 (27.8)	3435 (1559)	45/60	4"-224"	5510	5510	10140
360x325	Multi/Bk	19'3" x 17'5" x 11"	5.86 x 5.31 x 0.28	334.4 (31.1)	316.4 (30.2)	3715 (1686)	45/65	4"-224"	5900	5900	10910
360x350	Multi/Bk	19'3" x 18'9" x 11"	5.86 x 5.7 x 0.28	359.4 (33.4)	340.8 (32.5)	3990 (1810)	45/70	4"-224"	6380	6380	11780
360x375	Multi/Bk	19'3" x 20'0" x 11"	5.86 x 6.1 x 0.28	384.4 (35.7)	365.1 (34.8)	4270 (1937)	45/75	4"-224"	6860	6860	12645
360x400	Multi/Bk	19'3" x 21'4" x 11"	5.86 x 6.5 x 0.28	409.4 (38.1)	389.4 (37.1)	4545 (2062)	45/80	4"-224"	7245	7245	13420
360x425	Multi/Bk	19'3" x 22'8" x 11"	5.86 x 6.89 x 0.28	434.4 (40.4)	413.8 (39.4)	4825 (2189)	45/85	4"-224"	7730	7730	14285
360x450	Multi/Bk	19'3" x 23'11" x 11"	5.86 x 7.29 x 0.28	459.4 (42.7)	438.1 (41.8)	5100 (2314)	45/90	4"-224"	8210	8210	15150
360x475	Multi/Bk	19'3" x 25'3" x 11"	5.86 x 7.69 x 0.28	484.3 (45.1)	462.4 (44.1)	5380 (2441)	45/95	4"-224"	8595	8595	15925
360x500	Multi/Bk	19'3" x 26'6" x 11"	5.86 x 8.08 x 0.28	509.3 (47.3)	486.8 (46.4)	5655 (2566)	45/100	4"-224"	9080	9080	16790
360x525	Multi/Bk	19'3" x 27'10" x 11"	5.86 x 8.48 x 0.28	534.3 (49.7)	511.1 (48.7)	5935 (2693)	45/105	4"-224"	9560	9560	17660
360x550	Multi/Bk	19'3" x 29'2" x 11"	5.86 x 8.87 x 0.28	559.3 (52.0)	535.4 (51.0)	6210 (2817)	45/110	4"-224"	9945	9945	18430
360x575	Multi/Bk	19'3" x 30'5" x 11"	5.86 x 9.27 x 0.28	584.3 (54.3)	559.8 (53.4)	6490 (2944)	45/115	4"-224"	10440	10440	19315
360x600	Multi/Bk	19'3" x 31'9" x 11"	5.86 x 9.67 x 0.28	609.3 (56.7)	584.1 (55.7)	6765 (3069)	45/120	4"-224"	10925	10925	20180
360x625	Multi/Bk	19'3" x 33'0" x 11"	5.86 x 10.06 x 0.28	634.3 (59.0)	608.4 (58.0)	7045 (3196)	45/125	4"-224"	11310	11310	20955
360x650	Multi/Bk	19'3" x 34'4" x 11"	5.86 x 10.46 x 0.28	659.2 (61.3)	632.8 (60.3)	7320 (3321)	45/130	4"-224"	11790	11790	21820
360x675	Multi/Bk	19'3" x 35'8" x 11"	5.86 x 10.86 x 0.28	684.2 (63.6)	657.1 (62.1)	7595 (3446)	45/135	4"-224"	12275	12275	22690
360x700	Multi/Bk	19'3" x 36'11" x 11"	5.86 x 11.25 x 0.28	709.2 (65.9)	681.5 (64.4)	7875 (3573)	45/140	4"-224"	12660	12660	23460
360x725	Multi/Bk	19'3" x 38'3" x 11"	5.86 x 11.65 x 0.28	734.2 (68.3)	705.8 (66.7)	8150 (3697)	45/145	4"-224"	13140	13140	24325
360x750	Multi/Bk	19'3" x 39'6" x 11"	5.86 x 12.04 x 0.28	759.2 (70.6)	730.1 (69.0)	8430 (3824)	45/150	4"-224"	13620	13620	25195
360x775	Multi/Bk	19'3" x 40'10" x 11"	5.86 x 12.44 x 0.28	784.2 (72.9)	754.5 (71.3)	8705 (3949)	45/155	4"-224"	14005	14005	25965
360x800	Multi/Bk	19'3" x 42'2" x 11"	5.86 x 12.84 x 0.28	809.2 (75.2)	778.8 (73.7)	8985 (4076)	45/160	4"-224"	14490	14490	26835
360x825	Multi/Bk	19'3" x 43'5" x 11"	5.86 x 13.23 x 0.28	834.1 (77.5)	803.1 (76.0)	9260 (4201)	45/165	4"-224"	14970	14970	27700




PIXELS HIGH (AAA)	PIXELS WIDE (BBB)	PIXEL SPACING (CC)
40	100	15.85mm
32	80	19.81mm
24	60	26.42mm



TOP VIEW



FRONT VIEW



RIGHT VIEW

#	DETAIL	DESCRIPTION
1	DISPLAY	GS6 - AAAxBBB-CC (SEE CHART ON TOP LEFT)
2	LED COLOR	RED, AMBER, OR RGB
3	ACTIVE AREA	2' 15/16" [634] X 5' 2-3/8" [1585]
4	OVERALL SIZE	2' 6-15/16" [786] X 5' 5-3/8" [1661]
5	CABINET	ALUMINUM & STEEL
6	VENTILATION	FRONT
7	ACCESS	SERVICE FROM FRONT OF DISPLAY
8	WEIGHT	102 LBS [47 KG] (APPROX)
9	SHIPPING	SHIPPED AS A SINGLE UNIT
10	DIMENSIONS	FEET AND INCHES [MILLIMETERS]
11	PAINTED	SEMI-GLOSS BLACK

STRUCTURAL RATING		
1	DESIGN WIND PRESSURE "P" (CASE A)	P<=100 PSF (ASD)
2	STANDARD/CODE	IBC 2009/ASCE7-05, IBC 2012/ASCE7-10
3	ALL CLIP ANGLES MUST BE USED TO MOUNT DISPLAY	

POWER RATING PER SINGLE FACE: FOR SIZING ELEC.SERVICE MAX REQ'D SHOWN				
TECHNOLOGY	COLOR	MAX WATTS	120VAC 1PH 60/50Hz (2 WIRES + GND) DOMESTIC	240VAC 1PH 50Hz (2 WIRES + GND) INTERNATIONAL SPECIAL ORDER
			LINE 1 (AMPS)	LINE 1 (AMPS)
GS6	RED	305	2.55	1.27
	AMBER	305	2.55	1.27
	RGB	462	3.85	1.93

VENTILATION REQUIREMENTS	
1	DISPLAY RELIES ON VENTILATION TO FUNCTION PROPERLY. INTAKES, LOCATED AT THE FRONT OF THE DISPLAY, MUST BE ABLE TO DRAW IN AIR AT A TEMPERATURE NO GREATER THAN 120° F.
2	IN ORDER TO ENSURE AMBIENT TEMPERATURE AIRFLOW IS MAINTAINED, NO PORTION OF THE VENTILATION OPENINGS ALONG THE FRONT OF THE DISPLAY MAY BE COVERED OR OBSTRUCTED IN ANY WAY.

INSTALL NOTES	
1	IN ORDER TO PRESERVE THE STRUCTURAL INTEGRITY OF THE DISPLAY CABINET, THE 90° ANGLE BETWEEN THE CABINET AND THE LIFTEYES MUST BE MAINTAINED - USING A SPREADER BEAM IS SUGGESTED. ALL EYEBOLTS MUST BE USED WHEN LIFTING.
2	1/2" LIFTEYES TO ASSIST WITH DISPLAY INSTALLATION. LIFTEYES MAY NOT BE USED FOR PERMANENT INSTALLATION. LIFTEYES MAY BE REMOVED.
3	MECHANICAL AND SIGNAL CONNECTIONS OCCUR EXTERNAL TO DISPLAY.
4	CLIP ANGLE FOR MOUNTING. CLIP ANGLES CAN BE ADJUSTED VERTICALLY 1-3/16" AS NEEDED DURING INSTALLATION. CLIP ANGLE CAN BE WELDED OR BOLTED TO STRINGER. ALL CLIP ANGLE LOCATIONS MUST BE USED.
5	DAKTRONICS IS NOT RESPONSIBLE FOR THE MOUNTING HARDWARE OR THE INTEGRITY OF THE MOUNTING STRUCTURE.
6	DAKTRONICS IS NOT RESPONSIBLE FOR THE MAIN ELECTRICAL DISCONNECT. SEE POWER RATINGS ABOVE.
7	SEE DWG-03097583 FOR SIGNAL & MTG DETAILS

03	16 AUG 2016	PER EC-22282: UPDATED DRAWING LAYOUT	DJO 18434
02	09 MAY 16	UPDATED GALAXY LABEL	BAB 18436
01	27 OCT 2015	UPDATED 120/240 LINE AMPS	TJW
REV	DATE		BY:

		<small>THE CONCEPTS EXPRESSED AND DETAILS SHOWN ON THIS DRAWING ARE CONFIDENTIAL AND PROPRIETARY. DO NOT REPRODUCE BY ANY MEANS WITHOUT THE EXPRESS WRITTEN CONSENT OF DAKTRONICS, INC. OR ITS WHOLLY OWNED SUBSIDIARIES. COPYRIGHT 2016 DAKTRONICS, INC. (USA)</small>		
<b>PROJECT: GALAXY GS6 SERIES</b>				
<b>TITLE: SHOP DWG. GS6-R, 2' 7"x5' 6" (2x4 MODS)</b>				
<b>DATE: 14-AUG-17</b>		<b>DIM UNITS: INCHES [MILLIMETERS]</b>		<b>SHEET 1 OF 1</b>
<b>SCALE: 1/15</b>		<b>DO NOT SCALE DRAWING</b>		
<b>DESIGN: TWHITEH</b>	<b>JOB NO: P1817</b>	<b>FUNC - TYPE - SIZE: E - 07 - B</b>	<b>3111172</b>	
<b>DRAWN: DOSTRAA</b>				

# GALAXY® GS6 15.85 MM PRODUCT SPECIFICATIONS

The GS6 is the best full-feature, high-quality Galaxy series yet. This product provides users a display that runs outstanding graphics and animations using the best contrast in the industry. The 15.85 mm pixel pitch is the highest resolution 16 mm LED display in the industry.

## 15.85 MM TECHNICAL SPECIFICATIONS

**Character Height:**

4.4" (7 pixel font)

**Line Spacing:**

15.85 mm (0.62")

**Pixel Configuration:**

Monochrome: 1 red or 1 amber

RGB: 1 red, 1 green, 1 blue

**Maximum Brightness:**

Monochrome red: 4,500 nits

Monochrome amber: 6,000 nits

RGB: 12,000 nits

**Monochrome Color Capability:**

4,096 shades of red or amber

**Full Color Capability:**

RGB: 281 trillion colors

**Optimal Viewing Angle:**

140 degrees horizontal x 70 degrees vertical

**Readability Angle:**

160 degrees horizontal x 90 degrees vertical

**Min Viewing Distance:**

37'

## PRODUCT FEATURES

- All sealed components
- Quick connects
- Mounting clips
- High-contrast louvers
- Redundant module signal
- Large sections for fast installation
- Front ventilation on displays less than seven feet tall
- No spreader beam required for displays greater than seven feet tall
- Same module size and cabinet size for all pixel pitches
- Single-step module removal
- Shallow cabinet depth
- Narrow cabinet borders

## MODEL NUMBER GUIDE

GS6	-	100	x	250	-	15.85	-	RGB	-	SF
Series		Lines High		Columns Wide		Line Spacing		LED Color Red, Amber, or RGB		Single-Face or Two-View

201 Daktronics Drive PO Box 5128 Brookings, SD 57006-5128  
 tel 888-325-7446 605-692-0200 ext. 57220 fax 605-692-0381  
 www.daktronics.com email commercial@daktronics.com  
 Copyright © 2015 Daktronics DD3148704 Rev01 070116 Page 1 of 8



## GS6 SERIES SPECIFICATIONS

**Estimated LED Lifetime:**

100,000+ hours

**Contrast Enhancement:**

Non-reflective black louvers and module face grooves disperse light

**Message Capability:**

Text, graphics, logos, basic animation, video clips, multiple font styles, and sizes

**Control Software:**

Venus® Control Suite

**Power:**

120, 120/240 VAC Single Phase

**Display Dimming:**

64 levels (Automatic, scheduled or manual control)

**Communication Options:**

Ethernet Fiber Optic, Ethernet Bridge Radio, Remote Cellular, Ethernet CAT5

**Operating Temperature:**

-40°F to 120°F with 99% RH non-condensing

**Compliance Information:**

UL and cUL Listed, UL-Energy Verified, FCC compliance

**Warranty Coverage:**

5 years


**Galaxy Product Support:**

Parts support for 10 years

## DISPLAY CONFIGURATIONS




**Single-face (SF)**  
Available in all sizes



**Two-view (2V)**  
Available in all sizes







# APPROVAL

SIGNATURE & DATE REQUIRED FOR PRODUCTION

Signature

Date

*Pylon Sign -*  
 Brick bases w/ stucco columns  
 Logo Colors: 287c & 381u

Attn: Ellen Dorian  
 Marlborough Savings Bank  
 166 Main Street  
 Marlborough, MA 01752  
 edorian@marlboroughsavings.com

Expose Signs & Graphics, Inc.  
 493 Main Street - Northboro, MA 01532  
 (508)460-1187 - (508)460-1188 fax  
*Drawn By: Amy F. Clark*



